



PHOENIX FENCE Corp.

Product Catalogue

Edmonton Phoenix Fence Office

Phoenix Fence Corp
12816 – 156 Street
Edmonton, AB
T5V 1E9

Tel: 780-447-1919

Fax: 780-447-2512

Toll Free: 1-800-661-9847

Email: edmonton@phoenixfence.ca

Calgary Phoenix Fence Office

Phoenix Fence Corp
6204 – 2nd Street S.E
Calgary, AB
T2H 1J4

Tel: 403-259-5155

Fax: 403-259-2262

Toll Free: 1-888-220-2525

Email: calgary@phoenixfence.ca



SECTION A1 Chain Link Mesh

PAGE #

Standard Galvanized 11 ga – 1.2 oz/sq. ft. /365g/m2
Standard Vinyl 11 ga – White - Green - Black

1

Standard Galvanized 9 ga – 1.2 oz/sq. ft. /365g/m2

2

Standard Galvanized 9 ga – 1.6 oz/sq. ft. /490g/m2
Standard Galvanized 9 ga – 2.0 oz/sq. ft. /600g/m2

3

Standard Vinyl 9 ga - Black – White – Green – Brown

4

Standard Galvanized 6 ga – 1.2 oz/sq. ft. 365g/m2
Standard Galvanized 6 ga – 1.6 oz/sq. ft. 490g/m2
Standard Galvanized 6 ga – 2.0 oz/sq. ft. 600g/m2

5

Standard Vinyl 6 ga - White – Green - Black

6



CHAIN LINK MESH

Standard Galvanized 11 GA 1.2 oz/sq. ft. / 365g/m ²	Stock	Lbs/ Sq. Ft.	Lbs./ 50' Roll	Rolls/ Pallet	Part #
2" x 11 Gauge x 36"	Y	.375	57 lbs	20	2-11-36S
2" x 11 Gauge x 42"	Y	.375	65 lbs	20	2-11-42S
2" x 11 Gauge x 48"	Y	.375	75 lbs	20	2-11-48S
2" x 11 Gauge x 60"	Y	.375	94 lbs	20	2-11-60S
2" x 11 Gauge x 72"	Y	.375	112 lbs	20	2-11-72S
2" Texas x 11 Gauge x 72"	Y	.357	107 lbs	20	T-11-72S
2 1/4" x 11 Gauge x 72"	N	.357	107 lbs	20	22-11-72S
2 1/2" x 11 Gauge x 72"	N	.33	99 lbs	20	25-11-72S
Vinyl 11 GA Vinyl Extruded					
2 1/4" x 11 Gauge x 48" White	N	.238	48 lbs	20	22-11-48W
2 1/4" x 11 Gauge x 48" Green	N	.238	48 lbs	20	22-11-48G
2 1/4" x 11 Gauge x 48" Black	N	.238	48 lbs	20	22-11-48BL
Part Roll Cut Charge					PRC
Setup charge for NON-Stock Mesh 2"					MSC 1
Setup charge for NON-Stock Mesh not 2"					MSC 2



Note: Included in each full roll of mesh is a weaving wire to attach to the next roll of mesh.

11-gauge galvanized fabric available in Diamond Sizes (1", 1 1/2", 1 3/4", 2", 2 1/4", 2 1/2")

Available in all heights (3', through to 12')

Special Order Mesh is subject to minimum order and set up charges



CHAIN LINK MESH

Standard Galvanized 9 GA 1.2 oz/sq. ft. / 365g/m ²	Stock	Lbs/ Sq. Ft.	Lbs./ 50' Roll	Rolls/ Pallet	Part #
Compacted Rolls					
2" x 9 Gauge x 24"	Y	.60	60 lbs	16	2-9-24S
2" x 9 Gauge x 36"	Y	.60	90 lbs	16	2-9-36S
2" x 9 Gauge x 42"	Y	.60	105 lbs	16	2-9-42S
2" x 9 Gauge x 48"	Y	.60	120 lbs	16	2-9-48S
2" x 9 Gauge x 60"	Y	.60	150 lbs	16	2-9-60S
2" x 9 Gauge x 72" Knuckle/Knuckle	Y	.60	180 lbs	16	2-9-72S KK
2" x 9 Gauge x 72" Knuckle/Barb	Y	.60	180 lbs	16	2-9-72S
2" Texas x 9 Ga. x 72"	N	.575	168 lbs	16	T-9-72S
Non-compacted rolls					
2" x 9 Gauge x 72" Knuckle/Barb	Y	.60	180 lbs		2-9-72S
2" x 9 Gauge x 84" Knuckle/Knuckle	N	.60	210 lbs		2-9-84S KK
2" x 9 Gauge x 84" Knuckle/Barb	Y	.60	210 lbs		2-9-84S
2" x 9 Gauge x 96" Knuckle/Knuckle	Y	.60	240 lbs		2-9-96S KK
2" x 9 Gauge x 96" Knuckle/Barb	Y	.60	240 lbs		2-9-96S
2" x 9 Gauge x 108"	Y	.60	270 lbs		2-9-108S
2" x 9 Gauge x 120"	Y	.60	300 lbs		2-9-120S
2" x 9 Gauge x 144"	Y	.60	360 lbs		2-9-144S
Part Roll Cut Charge					PRC
Setup charge for NON-Stock Mesh 2"					MSC 1
Setup charge for NON-Stock Mesh not 2"					MSC 2



Note: Included in each full roll of mesh is a weaving wire to attach to the next roll of mesh.

9-gauge fabric available in Diamond Sizes (1 1/2", 1 3/4", 2", 2 1/4", 2 1/2")

Available in all heights (2' through to 12')

Special Order Mesh is subject to minimum order and set up charges



CHAIN LINK MESH

Standard Galvanized 9 GA 1.6 oz/sq. ft. / 490g/m ²	Stock	Lbs/ Sq. Ft.	Lbs./ 50' Roll	Rolls/ Pallet	Part #
Compacted Rolls					
2" x 9 Gauge x 36"	N	.60	90 lbs	16	2-9-36D
2" x 9 Gauge x 42"	N	.60	105 lbs	16	2-9-42D
2" x 9 Gauge x 48"	N	.60	120 lbs	16	2-9-48D
2" x 9 Gauge x 60"	N	.60	150 lbs	16	2-9-60D
2" x 9 Gauge x 72" Knuckle/Barb	N	.60	180 lbs	16	2-9-72D
Standard Galvanized 9 GA 2.0 oz/sq. ft. / 600g/m ²					
Compacted Rolls					
2" x 9 Gauge x 36"	N	.60	90 lbs	16	2-9-36E
2" x 9 Gauge x 42"	N	.60	105 lbs	16	2-9-42E
2" x 9 Gauge x 48"	N	.60	120 lbs	16	2-9-48E
2" x 9 Gauge x 60"	N	.60	150 lbs	16	2-9-60E
2" x 9 Gauge x 72" Knuckle/Barb	N	.60	180 lbs	16	2-9-72E
Part Roll Cut Charge					PRC
Setup charge for NON-Stock Mesh 2"					MSC 1
Setup charge for NON-Stock Mesh not 2"					MSC 2



Note: Included in each full roll of mesh is a weaving wire to attach to the next roll of mesh.

9-gauge fabric available in Diamond Sizes (1 1/2", 1 3/4", 2", 2 1/4", 2 1/2")

Available in all heights (2' through to 12')

Special Order Mesh is subject to minimum order and set up charges



CHAIN LINK MESH

Standard Vinyl 9 GA Vinyl Extruded Black	Stock	Lbs/ Sq. Ft.	Lbs./ 50' Roll	Rolls/ Pallet	Part #
2" x 9 Gauge x 36"	Y	.42	62 lbs	16	2-9-36BL
2" x 9 Gauge x 42"	Y	.42	72 lbs	16	2-9-42BL
2" x 9 Gauge x 48"	Y	.42	82 lbs	20	2-9-48BL
2" x 9 Gauge x 60"	Y	.42	103 lbs	16	2-9-60BL
2" x 9 Gauge x 72"	Y	.42	124 lbs	16	2-9-72BL
2" x 9 Gauge x 96"	Y	.42	164 lbs	16	2-9-96BL

Standard Vinyl 9 GA Vinyl Extruded White	Stock	Lbs/ Sq. Ft.	Lbs./ 50' Roll	Rolls/ Pallet	Part #
2" x 9 Gauge x 36"	Y	.42	62 lbs	16	2-9-36W
2" x 9 Gauge x 42"	Y	.42	72 lbs	16	2-9-42W
2" x 9 Gauge x 48"	Y	.42	82 lbs	20	2-9-48W
2" x 9 Gauge x 60"	Y	.42	103 lbs	16	2-9-60W
2" x 9 Gauge x 72"	Y	.42	124 lbs	16	2-9-72W
2" x 9 Gauge x 96"	Y	.42	164 lbs	16	2-9-96W

Standard Vinyl 9 GA Vinyl Extruded Green	Stock	Lbs/ Sq. Ft.	Lbs./ 50' Roll	Rolls/ Pallet	Part #
2" x 9 Gauge x 36"	Y	.42	62 lbs	16	2-9-36G
2" x 9 Gauge x 42"	Y	.42	72 lbs	16	2-9-42G
2" x 9 Gauge x 48"	Y	.42	82 lbs	20	2-9-48G
2" x 9 Gauge x 60"	Y	.42	103 lbs	16	2-9-60G
2" x 9 Gauge x 72"	Y	.42	124 lbs	16	2-9-72G
2" x 9 Gauge x 96"	Y	.42	164 lbs	16	2-9-96G

Standard Vinyl 9 GA Vinyl Extruded Brown	Stock	Lbs/ Sq. Ft.	Lbs./ 50' Roll	Rolls/ Pallet	Part #
2" x 9 Gauge x 36"	Y	.42	62 lbs	16	2-9-36B
2" x 9 Gauge x 42"	Y	.42	72 lbs	16	2-9-42B
2" x 9 Gauge x 48"	Y	.42	82 lbs	20	2-9-48B
2" x 9 Gauge x 60"	Y	.42	103 lbs	16	2-9-60B
2" x 9 Gauge x 72"	Y	.42	124 lbs	16	2-9-72B

Part Roll Cut Charge

PRC

Note: Included in each full roll of mesh is a weaving wire to attach to the next roll of mesh.

9-gauge fabric available in Diamond Sizes (1 1/2", 1 3/4", 2", 2 1/4", 2 1/2")

Available in all heights (3', through to 12')

Special Order Mesh is subject to minimum order and set up charges





CHAIN LINK MESH

Standard Galvanized 6 GA 1.2 oz/sq. ft. / 365g/m ²	Stock	Lbs/ Sq. Ft.	Lbs./ 25' Roll	Part #
2" x 6 Gauge x 36"	N	1.30	90 lbs	2-6-36S
2" x 6 Gauge x 42"	N	1.30	105 lbs	2-6-42S
2" x 6 Gauge x 48" Knuckle/Knuckle	Y	1.30	120 lbs	2-6-48S
2" x 6 Gauge x 60"	N	1.30	150 lbs	2-6-60S
2" x 6 Gauge x 72" Knuckle/Knuckle	Y	1.30	180 lbs	2-6-72S
Lbs./ 20' Roll				
2" x 6 Gauge x 96" Knuckle/Knuckle	Y	1.30	192 lbs	2-6-72S

Standard Galvanized 6 GA 1.6 oz/sq. ft. / 490g/m ²				
2" x 6 Gauge x 36"	N	1.33	90 lbs	2-6-36D
2" x 6 Gauge x 42"	N	1.33	105 lbs	2-6-42D
2" x 6 Gauge x 48"	N	1.33	120 lbs	2-6-48D
2" x 6 Gauge x 60"	N	1.33	150 lbs	2-6-60D
2" x 6 Gauge x 72"	N	1.33	180 lbs	2-6-72D

Standard Galvanized 6 GA 2.0 oz/sq. ft. / 600g/m ²				
2" x 6 Gauge x 36"	N	1.35	90 lbs	2-6-36E
2" x 6 Gauge x 42"	N	1.35	105 lbs	2-6-42E
2" x 6 Gauge x 48"	N	1.35	120 lbs	2-6-48E
2" x 6 Gauge x 60"	N	1.35	150 lbs	2-6-60E
2" x 6 Gauge x 72"	N	1.35	180 lbs	2-6-72E

Part Roll Cut Charge	PRC
Setup charge for NON-Stock Mesh 2"	MSC 1
Setup charge for NON-Stock Mesh not 2"	MSC 2

Note: Included in each full roll of mesh is a weaving wire to attach to the next roll of mesh.

6-gauge fabric available in Diamond Sizes (2", 2 1/4", 2 1/2")

Available in all heights (3' through to 12')

Special Order Mesh is subject to minimum order and set up charges





CHAIN LINK MESH

Standard Vinyl 6 GA Vinyl Extruded White	Stock	Lbs/ Sq. Ft.	Lbs./ 25' Roll	Part #
2" x 9 Gauge x 48"	N	.79	79 lbs	2-6-48W
2" x 9 Gauge x 60"	N	.79	98 lbs	2-6-60W
2" x 9 Gauge x 72"	N	.79	118 lbs	2-6-72W
Standard Vinyl 6 GA Vinyl Extruded Green				
2" x 9 Gauge x 48"	N	.79	79 lbs	2-6-48G
2" x 9 Gauge x 60"	N	.79	98 lbs	2-6-60G
2" x 9 Gauge x 72"	N	.79	118 lbs	2-6-72G
Standard Vinyl 6 GA Vinyl Extruded Black				
2" x 9 Gauge x 48"	N	.79	79 lbs	2-6-48BL
2" x 9 Gauge x 60"	N	.79	98 lbs	2-6-60BL
2" x 9 Gauge x 72"	N	.79	118 lbs	2-6-72BL
Part Roll Cut Charge				PRC
Setup charge for NON-Stock Mesh 2"				MSC 1
Setup charge for NON-Stock Mesh not 2"				MSC 2



Note: Included in each full roll of mesh is a weaving wire to attach to the next roll of mesh.

6-gauge fabric available in Diamond Sizes (2", 2 1/4", 2 1/2")

Available in all heights (3' through to 12')

Special Order Mesh is subject to minimum order and set up charges



SECTION B1 Game Fence

PAGE

12 ½ ga Fixed Knot Game Fence

1

14 ½ ga High Tensile Farm Fence

2

12 ½ Horse Fence
Non-Climbable Welded Lawn Fence

3

Western Fence Staples – 9 ga Barbed Staples
Western Fence Staples – 9 ga Non-Barbed Staples
High Tensile Wire – 12 ½ ga – Smooth

4

SECTION B2 Wire Products

Aluminum Ties – 5000/box
Vinyl Ties – 2500/box
Steel Ties – 2500/box
Hog Rings – Aluminum 9 ga & Steel 12 ga

1

Steel Ties 11 ga – 1000/box
Steel Ties 9 ga – 1000/box
Easy Twist Tool

2

Barbed Wire Standard Canadian – 12 ½ ga “Green Dot”
Barbed Wire Class III – 12 ½ ga “Red Dot”
Barbless Canadian Standard – 12 ½ ga
Barbed Wire (Gaucho) High Tensile – 15 ½ ga

3

Coiled Wire – Galvanized
Coiled Wire – Black Annealed

4

Coiled Wire – Vinyl
Coiled Wire – Aluminum

5




GAME FENCE

12 1/2 GA. Fixed Knot Game Fence Nomenclature	Stock	Roll Size	Weight	Part #
8/42/12	Y	660 FT	220 lbs	8/42/12 660
9/49/12	Y	660 FT	252 lbs	9/49/12
10/60/6	Y	330 FT	205 lbs	10/60/6
10/60/12	Y	660 FT	288 lbs	10/60/12
13/48/6	Y	330 FT	234 lbs	13/48/6
13/75/6	Y	330 FT	269 lbs	13/75/6 330
17/75/6	Y	330 FT	318 lbs	17/75/6
17/75/12	Y	330 FT	229 lbs	17/75/12
15/84/6	Y	330 FT	309 lbs	15/84/6 300
20/96/6	Y	330 FT	386 lbs	20/96/6
20/96/12	Y	330 FT	276 lbs	20/96/12
23/120/6	N	330 FT	492 lbs	23/120/6




20/96/6 –
20 is the # of horizontal wires
96 is the height in inches
6 is the vertical wire spacing



Top/Bottom wire - 12 1/2 ga -175 k tensile strength -1360 lbs breaking load -.85 oz sq. ft.

Stay /Line wires- 12 1/2 ga -125 k tensile strength -960 lbs breaking load -.85 oz sq. ft.

Knot wires- 13 1/2 ga - 60 k tensile strength -350 lbs breaking load -.85 oz sq. ft.





FARM FIELD FENCE

14 1/2 GA. High Tensile Farm Field Fence

	Stock	Roll Size	Weight	Part #
8/32/6	Y	330 FT	88 lbs	8326 14H
9/39/6	Y	330 FT	101 lbs	9396 14H
10/47/6	Y	330 FT	115 lbs	10476 14H

Top/Bottom wires - 12 1/2 gauge class 3 galvanized wire
Line/Stay wires - 14 gauge class 3 galvanized wire

12 1/2 GA. Standard Farm Field Fence

8/32/6	Y	330 FT	148 lbs	8326 12S
9/39/6	Y	330 FT	168 lbs	9396 12S
10/47/6	Y	330 FT	189 lbs	10476 12S
11/55/6	Y	330FT	213 lbs	11556 12S


Top/Bottom wires - 10 gauge galvanized wire
Line/Stay wires - 12 1/2 gauge galvanized wire




Hinge Lock



12 1/2 GA. Standard Farm Field Fence



14 1/2 GA. High Tensile Farm Field Fence





HORSE FENCE

12 1/2 GA. Horse Fence	Stock	Roll Size	Weight	Part #
13/48 4' High Horse Fence	Y	100 FT	116 lbs	48 HF
16/60 5' High Horse Fence	Y	100 FT	143 lbs	60 HF
19/72 6' High Horse Fence	Y	100 FT	170 lbs	72 HF

13/48 – 13 is the # of horizontal wires, 48 is the height in inches
2" x 4" openings
Top/Bottom wires - 10-gauge class 1 galvanized wire
Line/Stay wires – 12 1/2 gauge class 1 galvanized wire



Non-Climbable Welded Lawn Fence

36" High	Y	100 FT	74 lbs	36 LF
48" High	Y	100 FT	98 lbs	48 LF
60" High	Y	100 FT	122 lbs	60 LF
72" High	Y	100 FT	146 lbs	72 LF

*Top, bottom, vertical wires are 12 1/2 GA galvanized wire with Class 3 coating

*Tension curves in the 2" x 4" openings to keep tight

LAWN FENCE





WESTERN FENCE STAPLES

Western Fence Staples 9 Ga. Barbed Staples	Stock	Staples /lbs	Pails /Pallet	Part #
1 1/2" – 10 lbs *	N	72	168	FS 112B PS
1 1/2" – 30 lbs *	N	72	80	FS 112B P
1 1/2" staples are run for spring booking only				
1 3/4" – 10 lbs	Y	61	168	FS 134B PS
1 3/4" – 30 lbs	Y	61	80	FS 134B P
2" – 10 lbs	Y	53	168	FS 2B9 PS
2" – 30 lbs	Y	53	80	FS 2B9 P
Western Fence Staples 9 Ga. Non-Barbed Staples				
1 3/4"	N	61	80	FS 134N P



High Tensile Wire Smooth	Stock	Ft/Roll	Rolls /Pallet	Part #
12 1/2 Gauge High Tensile	Y	3750	32	HTW
- 1350 lbs Breaking Strength - 200,000 PSI Tensile Strength - Wooden Spool				

HIGH TENSILE WIRE





TIE WIRES

Aluminum Ties Master Carton 5000 per box	Stock	Qty/Pk	Lbs/pack	Part #
11 Gauge x 6.25"	Y	100 pcs	0.5 lbs	TW-11-625AB
9 Gauge x 6.25"	Y	100 pcs	1.0 lbs	TW-9-625AB
9 Gauge x 7.25"	Y	100 pcs	1.2 lbs	TW-9-725AB
9 Gauge x 8.25"	Y	100 pcs	1.3 lbs	TW-9-825AB
9 Gauge x 12"	Y	100 pcs	1.8 lbs	TW-9-12AB

Vinyl Ties Master Carton 2500 per box	Stock	Qty/Pk	Lbs/pack	Part #
11 Gauge x 7.25"	Y	100 pcs	1.2 lbs	TW-11-725VB*
11 Gauge x 8.25"	Y	100 pcs	1.2 lbs	TW-11-825VB*

*Please specify Green, White, Black, Brown

Steel Ties Master Carton 2500 per box	Stock	Qty/Pk	Lbs/pack	Part #
11 Gauge x 7.25"	Y	100 pcs	2.3 lbs	TW-11-725SB
11 Gauge x 8.25"	Y	100 pcs	2.5 lbs	TW-11-825SB
11 Gauge x 12"	Y	100 pcs	3.6 lbs	TW-11-12SB
9 Gauge x 7.25"	Y	100 pcs	3.3 lbs	TW-9-725SB
9 Gauge x 8.25"	Y	100 pcs	3.5 lbs	TW-9-825SB
9 Gauge x 10.5"	Y	100 pcs	3.5 lbs	TW-9-105SB

Hog Rings	Stock	Qty/Pk	Lbs/pack	Part #
Aluminum 9 gauge		100 pcs	0.4 lbs	HRA-100
		255 pcs	1.0 lbs	HRA-1
		6400 pcs	25 lbs	HRA-25
Steel 12 gauge		100 pcs	.59 lbs	HRS-100
		170 pcs	1.0 lbs	HRS-1
		4250 pcs	25 lbs	HRS-50



HOG RINGS





Easy Twist™ TIE WIRES Military Ties

Steel Ties Master Carton 1000 per box	Stock	Lbs/pack	Part #
11 Ga Steel for 1 5/8" Rail	Y	30 lbs	TW-11-625AB
11 Ga Steel for 1 7/8" Post (2")	Y	33 lbs	TW-9-625AB
11 Ga Steel for 2 3/8" Post	Y	35 lbs	TW-9-725AB
11 Ga Steel for 2 7/8" Post (3")	Y	38 lbs	TW-9-825AB
11 Ga Steel for 3 1/2" Post	Y	44 lbs	TW-9-12AB



Steel Ties Master Carton 1000 per box			
9 Ga Steel for 1 5/8" Rail	Y	45 lbs	TW-9-725SB
9 Ga Steel for 2 3/8" Post	Y	55 lbs	TW-9-825SB

Easy Twist Tool (Drill Adapter)			
Easy Twist Tool for 11 Ga	Y	1 lbs	CKETT11-00
Easy Twist Tool for 9 Ga	Y	1 lbs	CKETT90-00





BARBED WIRE

Standard Canadian Barbed Wire "Green Dot"	Stock	Rolls/ Pallet	Weight	Part #
12 ½ Ga. 1320' on Wire Spool	Y	27	78 lbs	BBW-125 PR SS
12 ½ Ga. 1320' on Wood Spool	Y	27	78 lbs	BBW-125 PR WS
Class III Barbed Wire "Red Dot"				
12 ½ Ga. 1320' on Wood Spool	Y	27	80 lbs	BBW-1253PR WS
Barbless Canadian Standard				
12 ½ Ga. 1320' on Wood Spool	Y	27	70 lbs	BLBW-125PR WS
High Tensile Barbed Wire "Gaucho"				
15 ½ Ga. 1320' on Wire Spool	Y	48	42 lbs	BBW-155 PR



*More in-depth
specifications
available online





COILED WIRE

Wire Gauge	O.D.	Ft/lbs	Weight	Part #
------------	------	--------	--------	--------

Galvanized

6	.192"	10	10 lbs	BW-6S 10
6	.192"	10	50 lbs	BW-6S 50
9	.134"	20	100'	BW-9S 10F
9	.134"	20	10 lbs	BW-9S 10
9	.134"	20	50 lbs	BW-9S 50
11	.107"	34	100'	BW-11S 10F
11	.107"	34	10 lbs	BW-11S 10
11	.107"	34	50 lbs	BW-11S 50
12.5	.095"	40	10 lbs	BW-12S 10
12.5	.095"	40	50 lbs	BW-12S 50
14	.080"	60	10 lbs	BW-14S 10
14	.080"	60	50 lbs	BW-14S 50



Black Annealed

9	.138"	20	100'	BA-9 10F
9	.138"	20	10 lbs	BA-9 10
9	.138"	20	50 lbs	BA-9 50
14	.080"	60	10 lbs	BA-14 10
14	.080"	60	50 lbs	BA-14 50





COILED WIRE

Wire Gauge	O.D.	Ft/lbs	Weight	Part #
------------	------	--------	--------	--------

Vinyl

V = Black, White, Green, Brown

6	.192"	16	10 lbs	BW-6V 10
6	.192"	16	50 lbs	BW-6V 50
9	.138"	30	100'	BW-9V 10F
9	.138"	30	10 lbs	BW-9V 10
9	.138"	30	50 lbs	BW-9V 50
11	.113"	50	100'	BW-11V 10F
11	.113"	50	10 lbs	BW-11V 10
11	.113"	50	50 lbs	BW-11V 50



Aluminum

9	.138"	55	1 lbs	9 AW-1
9	.138"	55	10 lbs	9 AW-10
11	.114"	75	1 lbs	11 AW-1
11	.114"	75	10 lbs	11 AW-10



**SECTION C1**
Tubing, Pipe

PAGE #

Residential Tubing Light Wall – 17 ga (.057)

1

Residential Colour Tubing Light Wall – 17 ga (.057)

Residential Colour Pipe Heavy Wall – 14 ga (.083)

Residential Colour Pipe Heavy Wall – Sch 40

2

Pre-Cut Galvanized Pipe

14 ga – 1 5/8" – 1 7/8" – 2 3/8"

10 ga – 2 7/8" – 3 1/2"

3

Full Length Galvanized Pipe

14 ga – 1 3/8" – 1 5/8" – 1 7/8"

4

Full Length Galvanized Pipe

14 ga – 2 3/8"

10 ga – 2 7/8" – 3 1/2"

5

Full Length Galvanized Pipe

Sch 40 – 1 3/8" – 1 5/8" – 1 7/8" – 2 3/8"

6

Full Length Galvanized Pipe

Sch 40 – 2 7/8" – 3 1/2" – 4 1/2" – 6 5/8"

7

Pipe Swedging

8



GALVANIZED TUBING

Residential Tubing Light Wall 17 Ga (.057)	Stock	Weight	Pcs/ Bundle	Part #
1 3/8" O.D. (33.4mm) x 10'3" S.E. (Swedged End)	Y	7.90 lbs	91	P138T10SE
1 5/8" O.D. (42.0mm) x 6'0"	Y	5.88 lbs	61	P158T6
1 5/8" O.D. (42.0mm) x 7'0"	Y	6.86 lbs	61	P158T7
1 5/8" O.D. (42.0mm) x 10'3" S.E. (Swedged End)	Y	10.0 lbs	61	P158T10SE
1 7/8" O.D. (48.3mm) x 6'6"	Y	7.28 lbs	61	P178T65
1 7/8" O.D. (48.3mm) x 7'6"	Y	8.40 lbs	61	P178T75



1 3/8" GALVANIZED TUBE
SWEDGE END



1 5/8" GALVANIZED TUBE



1 7/8" GALVANIZED TUBE



COLOUR TUBING

Residential Colour Tubing

Light Wall

17 Ga (.057)

C = Black, White, Green, Brown

	Stock	Weight	Pcs/ Bundle	Part #
1 5/8" O.D. (42.0mm) x 10'3" S.E. (Swedged End)	Y	10.1 lbs	61	P158T10SEC
1 7/8" O.D. (48.3mm) x 6'0"	Y	6.7 lbs	61	P178T6C
1 7/8" O.D. (48.3mm) x 7'0"	Y	7.8 lbs	61	P178T7C
1 7/8" O.D. (48.3mm) x 8'0"	Y	10.1 lbs	61	P178T8C
2 3/8" O.D. (60.3mm) x 6'6"	Y	9.2 lbs	37	P238T65C
2 3/8" O.D. (60.3mm) x 7'6"	Y	10.6 lbs	37	P238T75C
2 3/8" O.D. (60.3mm) x 8'6"	Y	13.6 lbs	37	P238T85C

Residential Colour Pipe

Heavy Wall

14 Ga (.083)

C = Black, White, Green, Brown

2 3/8" O.D. (60.3mm) x 7'6"	Y	14.6 lbs	37	P238CI75C
2 3/8" O.D. (60.3mm) x 8'6"	Y	16.5 lbs	37	P238CI85C

Residential Colour Pipe

Heavy Wall

Sch 40

C = Black, White, Green, Brown

2 3/8" O.D. (60.3mm) x 7'6"	Y	27.6 lbs	37	P238SI75C
2 3/8" O.D. (60.3mm) x 8'6"	Y	31.3 lbs	37	P238SI85C
2 7/8" O.D. (73.0mm) x 8'6"	Y	49.3 lbs	26	P278SI85C
3 1/2" O.D. (88.9mm) x 9'0"	Y	49.3 lbs	19	P312SI9C





GALVANIZED PIPE PRE-CUT

1 5/8" Galvanized Pipe 14 Gauge (.083) Wall	Stock	Weight	Pcs/ Bundle	Part #
1 5/8" O.D. (42.0mm) x 5'	Y	6.7 lbs	61	P158LD5
1 5/8" O.D. (42.0mm) x 6'	Y	8.0 lbs	61	P158LD6
1 5/8" O.D. (42.0mm) x 7'	Y	9.4 lbs	61	P158LD7
1 7/8" Galvanized Pipe 14 Gauge (.083) Wall				
1 7/8" O.D. (48.3mm) x 6'	Y	9.3 lbs	61	P178LD6
1 7/8" O.D. (48.3mm) x 7'	Y	10.8 lbs	61	P178LD7
1 7/8" O.D. (48.3mm) x 8'	Y	12.3 lbs	61	P178LD8
1 7/8" O.D. (48.3mm) x 9'	Y	13.9 lbs	61	P178LD9
2 3/8" Galvanized Pipe 14 Gauge (.083) Wall				
2 3/8" O.D. (60.3mm) x 6'	Y	11.6 lbs	37	P238LD6
2 3/8" O.D. (60.3mm) x 7'	Y	13.6 lbs	37	P238LD7
2 3/8" O.D. (60.3mm) x 8'	Y	15.5 lbs	37	P238LD8
2 3/8" O.D. (60.3mm) x 9'	Y	17.5 lbs	37	P238LD9
2 3/8" O.D. (60.3mm) x 10'	Y	19.4 lbs	37	P238LD10
2 7/8" Galvanized Pipe 10 Gauge (.125) Wall				
2 7/8" O.D. (73.0mm) x 7'	Y	24.9 lbs	19	P278CI7
2 7/8" O.D. (73.0mm) x 8'	Y	28.5 lbs	19	P278CI8
2 7/8" O.D. (73.0mm) x 9'	Y	32.0 lbs	19	P278CI9
2 7/8" O.D. (73.0mm) x 10'	Y	35.6 lbs	19	P278CI10
3 1/2" Galvanized Pipe 10 Gauge (.125) Wall				
3 1/2" O.D. (88.9mm) x 7'	Y	30.3 lbs	19	P312CI7
3 1/2" O.D. (88.9mm) x 8'	Y	34.6 lbs	19	P312CI8
3 1/2" O.D. (88.9mm) x 9'	Y	39.0 lbs	19	P312CI9
3 1/2" O.D. (88.9mm) x 10'	Y	43.3 lbs	19	P312CI10



GALVANIZED PIPE FULL LENGTH

1 3/8" Galvanized Pipe 14 Gauge (.083) Wall	Stock	Weight	Pcs/ Bundle	Part #
1 3/8" O.D. (33.4mm) x 10'6" S.E. (Swedged End)	Y	10.9 lbs	91	P138LD10SE
1 3/8" O.D. (33.4mm) x 20'	Y	20.8 lbs	91	P138LD20
1 3/8" O.D. (33.4mm) x 21' S.E. (Swedged End)	Y	21.8 lbs	91	P138LD21SE
1 3/8" O.D. (33.4mm) x 21'	Y	21.8 lbs	91	P138LD21
1 3/8" O.D. (33.4mm) x 24'	Y	24.9 lbs	91	P138LD24
1 5/8" Galvanized Pipe 14 Gauge (.083) Wall				
1 5/8" O.D. (42.0mm) x 10'6" S.E. (Swedged End)	Y	14.1 lbs	61	P158LD10SE
1 5/8" O.D. (42.0mm) x 20'	Y	26.8 lbs	61	P158LD20
1 5/8" O.D. (42.0mm) x 21' S.E. (Swedged End)	Y	28.1 lbs	61	P158LD21SE
1 5/8" O.D. (42.0mm) x 21'	Y	28.1 lbs	61	P158LD21
1 5/8" O.D. (42.0mm) x 24'	Y	32.2 lbs	61	P158LD24
1 7/8" Galvanized Pipe 14 Gauge (.083) Wall				
1 7/8" O.D. (48.3mm) x 18'	Y	27.7 lbs	37	P178LD18
1 7/8" O.D. (48.3mm) x 21'	Y	32.3 lbs	37	P178LD21
1 7/8" O.D. (48.3mm) x 24'	Y	37.0 lbs	37	P178LD24





GALVANIZED PIPE FULL LENGTH

2 3/8" Galvanized Pipe 14 Gauge (.083) Wall	Stock	Weight	Pcs/ Bundle	Part #
2 3/8" O.D. (60.3mm) x 18'	Y	34.9 lbs	37	P238LD18
2 3/8" O.D. (60.3mm) x 20'	Y	38.8 lbs	37	P238LD20
2 3/8" O.D. (60.3mm) x 21'	Y	40.7 lbs	37	P238LD21
2 3/8" O.D. (60.3mm) x 24'	Y	46.6 lbs	37	P238LD24

2 7/8" Galvanized Pipe 10 Gauge (.125) Wall				
2 7/8" O.D. (73.0mm) x 18'	Y	64.1 lbs	19	P278CI18
2 7/8" O.D. (73.0mm) x 20'	Y	71.2 lbs	19	P278CI20
2 7/8" O.D. (73.0mm) x 21'	Y	74.8 lbs	19	P278CI21
2 7/8" O.D. (73.0mm) x 24'	Y	85.4 lbs	19	P278CI24

3 1/2" Galvanized Pipe 10 Gauge (.125) Wall				
3 1/2" O.D. (88.9mm) x 18'	Y	77.9 lbs	19	P312CI18
3 1/2" O.D. (88.9mm) x 21'	Y	86.6 lbs	19	P312CI21
3 1/2" O.D. (88.9mm) x 24'	Y	109.9 lbs	19	P312CI24



GALVANIZED PIPE FULL LENGTH

1 3/8" Galvanized Pipe Sch. 40 (.133) Wall	Stock	Weight	Pcs/ Bundle	Part #
1 3/8" O.D. (33.4mm) x 21'	Y	35.3 lbs	60	P138SI21
1 5/8" Galvanized Pipe Sch. 40 (.140) Wall				
1 5/8" O.D. (42.0mm) x 21'	Y	46.7 lbs	42	P158SI21
1 7/8" Galvanized Pipe Sch. 40 (.145) Wall				
1 7/8" O.D. (48.3mm) x 18'	Y	49.0 lbs	36	P178SI18
1 7/8" O.D. (48.3mm) x 21'	Y	57.1 lbs	36	P178SI21
1 7/8" O.D. (48.3mm) x 24'	Y	65.3 lbs	36	P178SI24
2 3/8" Galvanized Pipe Sch. 40 (.154) Wall				
2 3/8" O.D. (60.3mm) x 8'	Y	29.3 lbs	26	P238SI8
2 3/8" O.D. (60.3mm) x 8'6"	Y	31.1 lbs	26	P238SI85
2 3/8" O.D. (60.3mm) x 9'	Y	34.8 lbs	26	P238SI95
2 3/8" O.D. (60.3mm) x 10'6"	Y	38.4 lbs	26	P238SI105
2 3/8" O.D. (60.3mm) x 17'	Y	62.2 lbs	26	P238SI17
2 3/8" O.D. (60.3mm) x 18'	Y	65.9 lbs	26	P238SI18
2 3/8" O.D. (60.3mm) x 19'	Y	69.5 lbs	26	P238SI19
2 3/8" O.D. (60.3mm) x 20'	Y	73.2 lbs	26	P238SI20
2 3/8" O.D. (60.3mm) x 21'	Y	76.9 lbs	26	P238SI21
2 3/8" O.D. (60.3mm) x 24'	Y	87.8 lbs	26	P238SI24



GALVANIZED PIPE FULL LENGTH

2 7/8" Galvanized Pipe Sch. 40 (.203) Wall	Stock	Weight	Pcs/ Bundle	Part #
2 7/8" O.D. (73.0mm) x 20'	Y	115.8 lbs	18	P278SI20
2 7/8" O.D. (73.0mm) x 21'	Y	121.6 lbs	18	P278SI21
2 7/8" O.D. (73.0mm) x 24'	Y	138.9 lbs	18	P278SI24
3 1/2" Galvanized Pipe Sch. 40 (.216) Wall				
3 1/2" O.D. (88.9mm) x 18'	Y	136.4 lbs	14	P312SI18
3 1/2" O.D. (88.9mm) x 20'	Y	151.6 lbs	14	P312SI20
3 1/2" O.D. (88.9mm) x 21'	Y	159.2 lbs	14	P312SI21
3 1/2" O.D. (88.9mm) x 24'	Y	181.9 lbs	14	P312SI24
4 1/2" Galvanized Pipe Sch. 40 (.237) Wall				
4 1/2" O.D. (114.3mm) x 20'	Y	215.8 lbs	10	P412SI20
4 1/2" O.D. (114.3mm) x 21'	Y	226.6 lbs	10	P412SI21
4 1/2" O.D. (114.3mm) x 24'	Y	258.9 lbs	10	P412SI24
6 5/8" Galvanized Pipe Sch. 40 (.283) Wall				
6 5/8" O.D. (168.3mm) x 20'	Y	379.4 lbs	7	P658SI20
6 5/8" O.D. (168.3mm) x 21'	Y	398.4 lbs	7	P658SI21
6 5/8" O.D. (168.3mm) x 24'	Y	455.3 lbs	7	P658SI24



PIPE SWEDGING

Custom Pipe Swedging Up to .083	Part #
Swedge to pipe 1 3/8"	AS 138S
Swedge to pipe 1 5/8"	AS 158S
Swedge to pipe 1 7/8"	AS 178H
Swedge to pipe 2 3/8"	AS 238H
Swedge setup charge (less than 200 pcs of same size)	ASSU
S.E. (Swedged End) is approximately 3" in depth making pipe length slightly shorter for fence run	





SECTION D1 Fence Fitting

PAGE

Tension Bands & Brace Bands – Galvanized – Coloured

1

Brace Bands – Heavy Duty – c/w 'U' – 2-way

2

Line Post Caps – Aluminum – Coloured – Steel

3

Rail End Caps – Aluminum – Coloured – Steel

4

Post Caps – Aluminum – Coloured – Steel

5

Tension Bars – Galvanized – Coloured

6

Rail Fittings – Boulevard Clamps – End Rail Clamps – Top Rail Sleeves

7

Barbed Wire Arms – Line Posts – Heavy Corner – Bolt on Arms

8

Fasteners – "U" Bolts c/w Nuts – Bare Steel Base Plates – Galvanized Base Plates
– Turnbuckles – Truss Rod Assemblies

9

Fasteners – Wedge Anchors – Carriage Bolts – Hex Head Lag Bolt – Hex
Head Bolts – Washers

10

Wood to Steel Fence Brackets – Galvanized
Line Bracket – Corner Bracket – End Bracket - Alternating

11

SECTION D2 Fencing Tools

Fencing Tools

PulJak – Maasdam – Come Alongs – Tools – Manual Post Pounders

1

Crimping Sleeves & Tools – Wire Tensioning – Stretcher Bars

2



TENSION BANDS

Galvanized Tension Bands	Stock	Pcs /Bag	Weight	Part #
1 3/8" O.D.	Y	500	.12 lbs	138 TB
1 5/8" O.D.	Y	400	.14 lbs	158 TB
1 7/8" O.D.	Y	300	.16 lbs	178 TB
2 3/8" O.D.	Y	300	.18 lbs	238 TB
2 7/8" O.D.	Y	200	.22 lbs	278 TB
3 1/2" O.D.	Y	200	.26 lbs	312 TB
4 1/2" O.D.	Y	100	.32 lbs	412 TB
6 5/8" O.D.	Y	50	.68 lbs	658 TB

Coloured Tension Bands

C = Black, White, Green, Brown

2 3/8" O.D.	Y		.18 lbs	238 TBC
2 7/8" O.D.	Y		.22 lbs	278 TBC
3 1/2" O.D.	Y		.26 lbs	312 TBC

Galvanized Brace Bands

1 3/8" O.D.	Y	500	.13 lbs	138 BB
1 5/8" O.D.	Y	400	.15 lbs	158 BB
1 7/8" O.D.	Y	300	.18 lbs	178 BB
2 3/8" O.D.	Y	300	.21 lbs	238 BB
2 7/8" O.D.	Y	200	.26 lbs	278 BB
3 1/2" O.D.	Y	200	.30 lbs	312 BB
4 1/2" O.D.	Y	100	.38 lbs	412 BB
6 5/8" O.D.	Y	50	.85 lbs	658 BB


Coloured Brace Bands

C = Black, White, Green, Brown

2 3/8" O.D.	Y		.21 lbs	238 BBC
2 7/8" O.D.	Y		.26 lbs	278 BBC
3 1/2" O.D.	Y		.30 lbs	312 BBC



BRACE BANDS





BRACE BANDS

Galvanized Heavy Duty Brace Bands	Stock	Pcs /Bag	Weight	Part #
1 5/8" O.D.	Y	100	.16 lbs	178 HBB
1 7/8" O.D.	Y	100	.18 lbs	238 HBB
2 3/8" O.D.	Y	100	.21 lbs	278 HBB
2 7/8" O.D.	Y	100	.26 lbs	278 HBB
3 1/2" O.D.	Y	100	.30 lbs	312 HBB
4 1/2" O.D.	Y	100	.32 lbs	412 HBB



Galvanized 2-Way Brace Bands				
1 7/8" O.D.	Y	100	.25 lbs	178 2BB
2 3/8" O.D.	Y	100	.30 lbs	238 2BB
2 7/8" O.D.	Y	100	.35 lbs	278 2BB



Galvanized Heavy Duty Brace Bands c/w 'U'				
1 3/8" O.D.	Y	25	.33 lbs	138 BBU
1 5/8" O.D.	Y	25	.34 lbs	158 BBU
1 7/8" O.D.	Y	25	.38 lbs	178 BBU
2 3/8" O.D.	Y	25	.41 lbs	238 BBU
2 7/8" O.D.	Y	25	.49 lbs	278 BBU
3 1/2" O.D.	Y	25	.55 lbs	312 BBU
4 1/2" O.D.	Y	25	.66 lbs	412 BBU
6 5/8" O.D.	Y	25	.77 lbs	658 BBU



Coloured Heavy Duty Brace Bands c/w 'U'				
2 3/8" O.D.	Y		.41 lbs	238 BBUC
2 7/8" O.D.	Y		.49 lbs	278 BBUC
3 1/2" O.D.	Y		.55 lbs	312 BBUC





LINE POST CAPS

Line Post Caps Aluminum	Stock	Pcs /Bag	Weight	Part #
1 5/8" X 1 3/8" O.D.	Y	250	.16 lbs	158A ET
1 5/8" X 1 5/8" O.D.	Y	250	.18 lbs	158B ET
1 7/8" X 1 3/8" O.D.	Y	200	.18 lbs	178A ET
1 7/8" X 1 5/8" O.D.	Y	200	.22 lbs	178B ET
2 3/8" X 1 5/8" O.D.	Y	125	.25 lbs	238B ET



Coloured Line Post Caps Aluminum

C = Black, White, Green, Brown

1 7/8" x 1 5/8" Line Post Cap	Y		0.22 lbs	178B ETC
2 3/8" x 1 5/8" Line Post Cap	Y		0.22 lbs	238B ETC



Line Post Caps Steel

1 7/8" X 1 3/8" O.D.	Y	50	.42 lbs	178A ETS
1 7/8" X 1 5/8" O.D.	Y	50	.50 lbs	178B ETS
2 3/8" X 1 5/8" O.D.	Y	50	.55 lbs	238B ETS
2 7/8" X 1 5/8" O.D.	Y	50	.66 lbs	278B ETS
2 7/8" X 1 5/8" C/W Hole for Bolt on Arm	Y	25	1.85 lbs	278 ETBWB





RAIL ENDS

Rail End Caps Aluminum	Stock	Pcs /Bag	Weight	Part #
1 1/4" O.D.	Y	600	.13 lbs	114 RE
1 3/8" O.D.	Y	600/350	.20 lbs	138 RE
1 5/8" O.D.	Y	250	.20 lbs	158 RE



Coloured Rail End Caps Aluminum				
C = Black, White, Green, Brown				
1 3/8" O.D.	N	600/350	.20 lbs	138 REC
1 5/8" O.D.	Y	250	.20 lbs	158 REC



Steel Rail End Caps				
1 3/8" O.D.	Y	100	.42 lbs	138 RES
1 5/8" O.D.	Y	100	.46 lbs	158 RES
1 5/8" O.D. – 2 Hole	Y	50	.60 lbs	158 RES2
1 7/8" O.D.	Y	50	.51 lbs	178 RES
2 3/8" O.D.	Y	50	.58 lbs	238 RES





POST CAPS

Main Post Caps Aluminum	Stock	Pcs /Bag	Weight	Part #
1 7/8" O.D.	Y	400/250	.10 lbs	178 DC
2 3/8" O.D.	Y	300/150	.14 lbs	238 DC
2 7/8" O.D.	Y	200/150	.20 lbs	278 DC
3 1/2" O.D.	Y	100/100	.86 lbs	312 DC



Coloured Post Caps Aluminum

C = Black, White, Green, Brown

2 3/8" O.D.	Y		0.18 lbs	238 DCC
2 7/8" O.D.	Y		0.20 lbs	278 DCC
3 1/2" O.D.	Y		1.35 lbs	312 DCC



Main Post Caps Steel				
1 3/8" O.D.	Y	250	.10 lbs	138DCS
1 5/8" O.D.	Y	250	.12 lbs	158 DCS
1 7/8" O.D.	Y	250	.14 lbs	178 DCS
2 3/8" O.D.	Y	100	.26 lbs	238 DCS
2 7/8" O.D.	Y	100	.28 lbs	278 DCS
3 1/2" O.D.	Y	50	.47 lbs	312 DCS
4 1/2" O.D.	Y	50	1.02 lbs	412 DC
6 5/8" O.D.	Y	20	2.20 lbs	658 DC





Tension Bars

Galvanized Tension Bar 25 pcs. per Mini Bundle	Stock	Pcs /Bundle	Weight	Part #
46" X 1/2"	Y	500	1.19 lbs	48 LTB
58" X 1/2"	Y	500	1.51 lbs	60 LTB
34" X 5/8"	Y	500	0.97 lbs	36 RTB
40" X 5/8"	Y	500	1.14 lbs	42 RTB
48" X 5/8"	Y	500	1.29 lbs	48 RTB
60" X 5/8"	Y	500	1.62 lbs	60 RTB
70" X 5/8"	Y	500	1.95 lbs	72 RTB
72" X 3/4"	Y	250	2.38 lbs	72 CTB
84" X 3/4"	Y	250	2.77 lbs	84 CTB
96" X 3/4"	Y	250	3.17 lbs	96 CTB
120" X 3/4"	Y	250	3.96 lbs	120 CTB
144" X 3/4"	Y	250	4.76 lbs	144 CTB
216" X 3/4"	Y	250	7.13 lbs	216 CTB



Coloured Tension Bar 25 pcs. per Bundle C = Black, White, Green, Brown

36" x 5/8"	Y	25	1.14 lbs	36 TBC
42" x 5/8"	Y	25	1.33 lbs	42 TBC
48" x 5/8"	Y	25	1.52 lbs	48 TBC
60" x 5/8"	Y	25	1.90 lbs	60 TBC
72" x 3/4"	Y	25	2.28 lbs	72 TBC
96" x 3/4"	Y	25	2.28 lbs	96 TBC





RAIL FITTINGS

Galvanized Boulevard Clamps c/w Bolts	Stock	Pcs /Bag	Weight	Part #
1 3/8" X 1 3/8"	Y	100	.45 lbs	138A-BC
1 5/8" X 1 3/8"	Y	100	.47 lbs	158A-BC
1 5/8" X 1 5/8"	Y	100	.55 lbs	158B-BC
1 7/8" X 1 3/8"	Y	100	.72 lbs	178A-BC
1 7/8" X 1 5/8"	Y	100	.75 lbs	178B-BC
2 3/8" X 1 5/8"	Y	50	.80 lbs	238B-BC
2 7/8" X 1 5/8"	Y	50	1.00 lbs	278B-BC
3 1/2" X 1 5/8"	Y	50	1.15 lbs	312B-BC
4 1/2" X 1 5/8"	Y	50	1.25 lbs	412B-BC



Galvanized End Rail Clamps				
1 3/8" X 1 3/8"	Y	100	.40	138A ERC
1 5/8" X 1 5/8"	Y	100	.50	158B ERC
1 7/8" X 1 5/8"	Y	100	.52	178B ERC
2 3/8" X 1 5/8"	Y	100	.60	238B ERC
2 7/8" X 1 5/8"	Y	50	.70	278B ERC



Galvanized Top Rail Sleeves				
1 3/8" O.D. x 6"	Y	100	.36 lbs	138A RS
1 5/8" O.D. x 6"	Y	50	.42 lbs	158A RS
1 5/8" O.D. x 7"	Y	50	.49 lbs	158B RS





BARBED WIRE ARMS

Line Post Barbed Wire Arms 45 Degrees Steel	Stock	Pcs /Bag	Weight	Part #
1 7/8" X 1 5/8" O.D.	Y	25	1.7 lbs	178 BWA-SS
2 3/8" X 1 5/8" O.D.	Y	25	1.9 lbs	238 BWA-SS
2 7/8" X 1 5/8" O.D.	Y	25	2.1 lbs	278 BWA-SS
Line Post Barbed Wire Arms Vertical				
1 7/8" X 1 5/8" O.D.	Y	25	1.7 lbs	178 BWA-VS
2 3/8" X 1 5/8" O.D.	Y	25	1.9 lbs	238 BWA-VS
Line Post "V" Barbed Wire Arms				
1 7/8" X 1 5/8" P.S.	Y	30	2.4 lbs	178 BWA-DS
2 3/8" X 1 5/8" P.S.	Y	30	2.6 lbs	238 BWA-DS
2 7/8" X 1 5/8" P.S.	Y	30	2.75 lbs	278 BWA-DS
Heavy Corner Arms 45 Degrees				
2 7/8" Mal. Iron	Y	5	5.0 lbs	278 CBA
3 1/2" Mal. Iron	Y	5	5.0 lbs	312 CBA
Heavy Corner Arms "V" Barbed Wire Arms				
2 7/8" Corner Arm P.S.	Y	5	6.3 lbs	278 CBA DS
3 1/2" Corner Arm M.I.	Y	5	10.6 lbs	312 CBA MI
4 1/2" Corner Arm P.S.	Y	1	12.2 lbs	412 CBA DS
Bolt on Arms				
Arm For 2 7/8" Eye Top	Y	50	.80 lbs	278 BOB
Bolt on arm to fit existing fences. (Without Brace Bands)	Y	20	.85 lbs	COBWA





FASTENERS

"U" Bolts - Galvanized 1/2" c/w Nuts

	Stock	Weight	Part #
1 7/8" O.D.	Y	.50 lbs	178 UB
2 3/8" O.D.	Y	.55 lbs	238 UB
2 7/8" O.D.	Y	.60 lbs	278 UB
3 1/2" O.D.	Y	.70 lbs	312 UB



Bare Steel Base Plates 5/8" Holes

3 5/8" X 3 5/8" X 1/4" - 4 Hole	Y	2.00 lbs	358-358 BP
4 1/2" X 4 1/2" X 1/4" - 4 Hole	Y	2.30 lbs	45-45 BP
6" X 6" X 1/4" - 4 Hole	Y	2.50 lbs	6-6 BP
4" X 6" X 1/4" - 2 Hole	Y	1.60 lbs	4-6 BP
8" X 8" X 3/8" - 8 Hole	Y	6.10 lbs	8-8 BP
10" X 10" X 3/8" - 8 Hole	Y	9.50 lbs	10-10 BP



Galvanized Base Plates "Import"

4" X 6" X 1/4" - 4 Hole	Y	2.10 lbs	4-6 BPI
6" X 6" X 1/4" - 4 Hole	Y	2.30 lbs	6-6 BPI
8" X 8" X 3/8" - 4 Hole	Y	4.00 lbs	8-8 BPI
Add For Welding Base Plates			AWBP



Turnbuckles

3/8" X 10 1/2" Alum. Eye & Eye	Y	.61 lbs	ST
3/8" X 6" Malleable Iron, Hook & Eye	Y	1.00 lbs	DFT



Truss Rod Assemblies (No Brace Bands)

3/8" x 12' Galv. Truss Rod	Y	4.51 lbs	TRO
3/8" x 1" Truss Tightener	Y	.59 lbs	TRTO





FASTENERS

Wedge Anchors	Stock	Weight	Part #
1/2" x 2 3/4"	Y	.20 lbs	12-234 WA
1/2" x 3 3/4"	Y	.25 lbs	12-334 WA
1/2" x 4 1/4"	Y	.30 lbs	12-414 WA



Carriage Bolts c/w Hex Nuts (Grade 2 Zinc Plated)			
5/16" x 1 1/4" HD Galvanized	Y	.044 Lbs	516A-CB
5/16" x 2 1/2"	Y	.070 lbs	516-212 BN
3/8" x 2"	Y	.088 lbs	38-2 CBC
3/8" x 2 1/2"	Y	.103 lbs	38-212 CBC
3/8" x 3"	Y	.118 lbs	38-3 CBC
3/8" x 3 1/2"	Y	.133 lbs	38-312 CBC
1/2" x 2"	Y	.170 lbs	12-2 CBC
1/2" x 3"	Y	.169 lbs	12-3 CBC
1/2" x 4"	Y	.211 lbs	12-4 CBC



Hex Head Lag Bolt (Zinc Plated)			
5/16" x 2 1/2"	Y	.055 lbs	516-212 LB
1/2" x 2"	Y	.170 lbs	12-2 PLB



Hex Head Bolts c/w Hex Nuts (Zinc Plated)			
5/8" x 2"	Y	.30 lbs	58-2 HBC
5/8" x 3"	Y	.37 lbs	58-3 HBC



Washers (Zinc Plated)			
5/8" Lock Washer	Y	.020 lbs	58 PLW
5/8" Flat Washer	Y	.080 lbs	58 PFW
3/4" Flat Washer	Y	.110 lbs	34 PFW





FENCE BRACKETS WOOD TO STEEL

Wood to Steel Fence Brackets -Galvanized	Stock	Pcs /Bag	Weight	Part #
Line Bracket -Adjustable				
1 7/8"	Y	25	.73 lbs	178 AWC
2 3/8"	Y	25	.73 lbs	238 AWC
Corner Bracket				
1 7/8"	Y	20	.87 lbs	178 CWC
2 3/8"	Y	20	.91 lbs	238 CWC
End Bracket				
1 7/8"	Y	20	.77 lbs	178 EWC
2 3/8"	Y	20	.81 lbs	238 EWC
Alternating				
1 7/8"	Y	20	1.25 lbs	178 AB
2 3/8"	Y	20	1.39 lbs	238 AB





FENCING TOOLS

PulJak	Stock	Weight	Part #
2.5' Bar	Y	8 lbs	A-2 1/2
4' Bar	Y	10 lbs	A-4
2.5' Bar - Reversed	Y	8 lbs	C-2 1/2
2.5' Bar – Combo	Y	10 lbs	CC-2 1/2
Repair Kit	Y	1.2 lbs	P-122



Maasdam Come Alongs

Cable Type	Y	8 lbs	144S-6
Strap Type	Y	8 lbs	WS-1



Tools

Staking Pins	Y	2.7 lbs	34-3 RSPP
Mini Cutters	Y	.75 lbs	WSW BC8
Mesh Tensioner	Y	12 lbs	VFH
Wire Dogs	Y	1.2 lbs	WD
Fencing Pliers	Y	1 lbs	TEK-37124
Hog Ring Pliers	Y	1.0 lbs	HRP



Manual Post Pounders

2 3/8" OD Posts, T-Posts	Y	15 lbs	MPP
2 7/8" OD Posts	Y	20 lbs	MPP2
2 3/8" OD Posts (Red-Import)	Y	14 lbs	MPP-I1
2 7/8" OD Posts (Yellow-Import)	Y	17 lbs	MPP-I2





FENCING TOOLS

Crimping Sleeves & Tools	Stock	Weight	Part #
Short Sleeves 12.5 – 15 Ga	Y	.5 lbs	DP2-3/100
Long Sleeves 12.5 – 15 Ga	Y	1.6 lbs	DP3-4/100
Short Sleeves 9 – 10 Ga	Y	1 lbs	XL2-3/100
EZ Pull Crimping Tool	Y	2.5 lbs	WCCT125
Crimping Tool - Import	Y	2.5 lbs	2154



Wire Tensioning

Gripple Tensioning Tool	Y	3 lbs	TTFG
Medium Gripple – up to 10 Ga or (.110)	Y		009-490
Large Gripple – barbed wire or (.170)	Y		043-LBW5
Permanent Wire Strainers	Y	.5 lbs	PWS
Strainer Handles	Y	1 lbs	PWSH



Stretcher Bars

48" Length c/w 5 wedges	Y	30 lbs	SB 48
60" Length c/w 6 wedges	Y	40 lbs	SB 60
78" Length c/w 7 wedges	Y	44 lbs	SB 80
96" Length c/w 9 wedges	Y	53 lbs	SB 96
120" Length c/w 11 wedges	Y	66 lbs	SB 120
Replacement Wedge	Y	1 lbs	SBW





SECTION E1 Swing Gate Hardware	PAGE #
Frame Hinge – Coloured & Galvanized – c/w Bolt – 1" Thick Post Hinge – Coloured & Galvanized – c/w Bolt – 1" Thick	1
Lag Screw Post Hinge Hinge Pins c/w Nuts Gravity Gate Closures Gate Scroll	2
Fork Latches – Galvanized – Coloured – Malleable Iron	3
Galvanized Butterfly Latch Galvanized Finger Latch & Catch E-Z Latch 1 3/8 Gate Clips 2 – Hole Conduit Clamps	4
Heavy Gate Hinges – c/w 3/4" x 6" Pins Heavy Gate Hinges – c/w 1" x 3/4" x 9" Pins Extra Heavy Gate Hinges – c/w 1" x 1" x 9" Pins Coloured Heavy Gate Hinges – c/w 3/4" x 6" Pins Industrial Frame Hinge Collar Weld on Hinge Lugs	5
Magna Latch, Top Pull – Square Magna Latch Round Post Adaptor Kit Lokk-Latch + EAK – Square Lokk-Latch Deluxe + EAK – Square Lokk-Latch + EAK - Round	6
True Close Hinge Regular – Square True Close Hinge Heavy Duty – Square True Close Hinge Mini Multi – Square True Close Hinge Multi Adjust – Square	7
True Close Hinge Mini Multi – Round Nylon Gate Handle w/ Bumper Stop Lokk-Bolt (Cane Bolt) – Square Base Plate for Lokk-Bolt (Cane Bolt)	8



SECTION E2 Slide Gate Hardware

PAGE #

Rolo Gate – Std Bracket 1 5/8" Frame
Rolo Gate – HD Bracket 1 5/8" Frame
Rolo Gate – Rail Brackets
Double Wheel Assemblies

1

Single Wheels Only – (No Flat)
Swivel Wheel Only
Rolo Latch
Drop and Catch Latches
Frost Free Latches

2

Cantilever Gate Rollers – Residential – c/w 2 ea. Sealed Bearings
Cantilever Gate Rollers – Heavy Duty – c/w 2 ea. Greaseable Tapered Bearings

3

Premium Cantilever Rollers – c/w 2 ea. Sealed Bearings
Tandem Cantilever Rollers Heavy Duty – Nylon c/w 2 ea. Sealed Bearings

4

SECTION E3 Gate and Panel Hardware

Panel Clamps
Dog Run Kennel Latch
Industrial Drop Pin Assemblies
Centre Rest

1

Panic Hardware
Lock Boxes – (1 3/4" Thick)
Industrial Spring Closures

2



RESIDENTIAL GATE FITTINGS

Galvanized Frame Hinge c/w Bolt (1" thick)	Stock	Pcs /Bag	Weight	Part #
1 3/8" O.D. x 1/2"	Y	100	.35 lbs	138A FH
1 5/8" O.D. x 1/2"	Y	100	.35 lbs	158A FH
1 3/8" O.D. x 5/8"	Y	100	.45 lbs	138B FH
1 5/8" O.D. x 5/8"	Y	100	.45 lbs	158B FH
1 7/8" O.D. x 5/8"	Y	100	.45 lbs	178B FH



Coloured Frame Hinge c/w Bolt (1" thick) C = Black, White, Green, Brown				
1 3/8" O.D. x 5/8"	Y		.35 lbs	138B FHC



Galvanized Post Hinge c/w Bolt (1" thick)				
1 3/8" O.D. x 5/8"	Y	50	.57 lbs	138B PH
1 5/8" O.D. x 5/8"	Y	50	.60 lbs	158 PH
1 7/8" O.D. x 5/8"	Y	50	.68 lbs	178 PH
2 3/8" O.D. x 5/8"	Y	50	.68 lbs	238 PH
2 7/8" O.D. x 5/8" (1.25")	Y	50	.90 lbs	278 PH
3 1/2" O.D. x 5/8" (1.25")	Y	25	1.0 lbs	312 PH
Wall Mount x 5/8"	Y	50	.70 lbs	WMH 58



Coloured Post Hinge c/w Bolt (1" thick) C = Black, White, Green, Brown				
2 3/8" O.D. x 5/8"	Y		.68 lbs	238 PHC
2 7/8" O.D. x 5/8"	Y		.90 lbs	278 PHC





GATE FITTINGS

Lag Screw Post Hinge	Stock	Pcs /Bag	Weight	Part #
1/2" x 4 1/2" Galvanized	Y	100	.31 lbs	12-412 LS
5/8" x 6" Galvanized	Y	100	.62 lbs	58-6 LS



Hinge Pins c/w Nuts				
1/2" x 3"	Y	200	.48 lbs	12-3HPC
5/8" x 6"	Y	50	.70 lbs	58-6 HPC
5/8" x 12"	Y	50	.94 lbs	58-12 HPC
3/4" x 6"	Y	50	1.1 lbs	34-6 HPC
3/4" x 9"	Y	50	1.3 lbs	34-9 HPC
3/4" x 12"	Y	25	1.6 lbs	34-12 HPC
1" x 9" x 3/4"	Y	20	1.9 lbs	1-34-9 HPC
1" x 9" x 1"	Y	--	2.1 lbs	1-1-9 HPC
1" x 12" x 1"	Y	--	2.9 lbs	1-1-12 HPC



Gravity Gate Closures				
1 7/8" x 1 3/8" Gravity	Y	25	1.0 lbs	178 GGC
2 3/8" x 1 3/8" Gravity	Y	20	1.0 lbs	238 GGC



Gate Scrolls				
24" Galvanized	Y		2 lbs	GS
24" Black, White, Green, Brown	Y		2 lbs	GSC





RESIDENTIAL GATE FITTINGS

Galvanized Fork Latches	Stock	Pcs /Bag	Weight	Part #
1 3/8" x 1 3/8"	Y	25	.88 lbs	138 FL
1 7/8" x 1 3/8"	Y	25	.96 lbs	178A FL
1 7/8" x 1 5/8"	Y	25	1.07 lbs	178B FL
2 3/8" x 1 3/8"	Y	25	1.10 lbs	238A FL
2 3/8" x 1 5/8"	Y	25	1.10 lbs	238B FL
2 7/8" x 1 3/8"	Y	25	1.25 lbs	278A FL
2 7/8" x 1 5/8"	Y	25	1.25 lbs	278B FL
3 1/2" x 1 5/8"	Y	25	1.40 lbs	312B FL
1 3/8" Flatback Fork Latch	Y	25	.70 lbs	138 FFL

Coloured Fork Latches

C = Black, White, Green, Brown

1 7/8" x 1 3/8"	Y		.96 lbs	178A FLC
2 3/8" x 1 3/8"	Y		1.10 lbs	238A FLC
2 7/8" x 1 3/8"	Y		1.25 lbs	278A FLC

Galvanized Fork Latches Malleable Iron

1 7/8" x 1 3/8"	Y	25	1.54 lbs	178C FL
2 3/8" x 1 3/8"	Y	25	1.58 lbs	238C FL
2 3/8" x 1 5/8"	Y	25	1.61 lbs	238D FL
2 7/8" x 1 5/8"	Y	20	1.65 lbs	278C FL
3 1/2" x 1 5/8"	Y	20	2.08 lbs	312B FL





RESIDENTIAL GATE FITTINGS

Galvanized Butterfly Latches	Stock	Pcs /Bag	Weight	Part #
1 7/8" O.D. x 1 3/8" O.D.	Y	25	1.12 lbs	178 BL
2 3/8" O.D. x 1 3/8" O.D.	Y	25	1.20 lbs	238 BL
2 7/8" O.D. x 1 3/8" O.D.	Y	25	1.25 lbs	278 BL
Flatback (1 3/8" or 1 5/8")	Y	25	.88 lbs	FBBL



Galvanized Finger Latch & Catch				
1 7/8" O.D. Finger Catch	Y	100	.40 lbs	178 FPL
2 3/8" O.D. Finger Catch	Y	50	.55 lbs	238 FPL
1 1/4" Finger 2 pc M.I.	Y	100	.80 lbs	138 FLI



E-Z Latch				
1 3/8" O.D. x 36"	Y	10	3.00 lbs	138 EZ



1 3/8 GATE CLIPS				
Type "C"	Y	250	.13 lbs	138 GC
Type "L"	Y	250	.13 lbs	138 GCL
Gate Clip Tool	Y	1	5.1 lbs	GCT 122
Type "C" C = Black, White, Green, Brown	Y		.13 lbs	CGC



2 Hole Conduit Clamps				
1 3/8" Plated	Y		.080 lbs	138 CC
1 5/8" Plated	Y		.085 lbs	158 CC
1 7/8" Plated	Y		.095 lbs	178 CC





COMMERCIAL GATE FITTINGS

Heavy Gate Hinges c/w 3/4" x 6" Pins	Stock	Pcs /Bag	Weight	Part #
2 3/8" x 3/16"	Y	25	2.92 lbs	238 PCC
2 7/8" x 1/4"	Y	25	2.95 lbs	278 PCC
3 1/2" x 1/4"	Y	25	3.22 lbs	312 PCC
4 1/2" x 1/4"	Y	20	4.50 lbs	412 PCC

Heavy Gate Hinges c/w 1" x 3/4" x 9" Pins				
6 5/8" x 7/16"	Y	--	10.0 lbs	658 PCC
8 5/8" x 7/16"	Y	--	12.0 lbs	858 PCC

Extra Heavy Gate Hinges c/w 1" x 1" x 9" Pins				
6 5/8" x 7/16"	Y	--	10.0 lbs	658 HPCC
8 5/8" x 7/16"	Y	--	12.0 lbs	858 HPCC

Coloured Heavy Gate Hinges c/w 3/4" x 6" Pins C = Black, White, Green, Brown				
2 3/8" O.D.	Y		2.92 lbs	238 PCCC
2 7/8" O.D.	Y		2.95 lbs	278 PCCC
3 1/2" O.D.	Y		3.22 lbs	312 PCCC

Industrial Frame Hinge Collar				
1 5/8" x 3/4" Steel c/w Bolts	Y		1.65 lbs	158-34 FC

Weld on Hinge Lugs				
Grade 8, 7/8" Deep Nut for 3/4" Pins	Y	200	.25 lbs	WOHL-34
Grade 8, 7/8" Deep Nut for 1" Pins	Y	200	.30 lbs	WOHL-1
Add Hinge Lug to any Gate				AL





Gate Latches	Stock	Part #	
Magna Latch, Top Pull - Square Magnetically triggered latch Key lockable Adjustable Horizontal Gap 3/8" - 1-7/16" Adjustable Vertical Gap up to 3/4" Square Post - Vinyl, Ornamental, Wood	Y	ML3TPKA	
Magna Latch Round Post Adaptor Kit Fits 1-3/8" & 1-5/8" Gate Frame Fits 1-7/8", 2-3/8" & 2-7/8" Post Adjustable Horizontal Gap up to 2"	Y	ML3RPK	
Lokk-Latch + EAK - Square Gravity Type Latch - Lockable External Access Kit (EAK) Included Fits 9/16" to 1-3/8" Gap, up to 6" post Black Polymer & Stainless Internals Square Post - Vinyl, Ornamental, Wood	Y	LLAAB	
Lokk-Latch Deluxe + EAK - Square Gravity Type Latch - Lockable External Access Kit (EAK) Included Lockable & Re-keyable 6 Pin Fits 5/8" to 1-1/2" Gap, up to 6" post Black Polymer & Stainless Internals Square Post - Vinyl, Ornamental, Wood	Y	LLDAB-K	
Lokk-Latch + EAK - Round Gravity Type Latch - Lockable External Access Kit (EAK) Included Fits 1-3/8" & 1-5/8" Gate Frame Fits 1-7/8", 2-3/8" & 2-7/8" Posts Fits up to 2" Gap Black Polymer & Stainless Internals	Y	LLABRND	



Gate Hinges	Stock	Part #	
True Close Hinge Regular-Square Self-Closing Tension Adjustable 2 Quick Fit Alignment Legs Fits 3/4" Gap Max Load 700 Lbs Black Polymer & Stainless Internals Fasteners Not Included Square Post - Vinyl, Ornamental, Wood	Y	TCA3L2SBT (PREVIOUSLY TCA3L2-MK2)	
True Close Hinge Heavy Duty-Square Self-Closing Tension Adjustable 1 Quick Fit Alignment Leg Fits 1/4" to 1" Gap Max Load 700 Lbs Black Polymer & Stainless Internals Fasteners Not Included Square Post - Vinyl, Ornamental, Wood	Y	TCHD2L1S S3BT (PREVIOUSLY TCDH2L1S-MK2)	
True Close Hinge Mini Multi-Square Self-Closing Tension Adjustable 2 Quick Fit Alignment Legs Fits 7/8" to 2" Gap Vertical Adjustment of 3/4" Max Load 55 Lbs Black Polymer & Stainless Internals Fasteners Included Square Post - Vinyl, Ornamental, Wood	Y	TCAMA2	
True Close Hinge Multi Adjust-Square Self-Closing Tension Adjustable 2 Quick Fit Alignment Legs 3 Way Adjustable Fits 5/8" to 1-3/8" Gap Vertical Adjustment of 3/4" Max Load 132 Lbs Black Polymer & Stainless Internals Fasteners Included Square Post - Vinyl, Ornamental, Wood	Y	TCHDMA1	



Gate Hinges and Accessories

Stock

Part #

True Close Hinge Mini Multi - Round

Self-Closing Tension Adjustable
2 Quick Fit Alignment Legs
Fits 7/8" to 2" Gap
Vertical Adjustment of 3/4"
Fits 1-3/8" & 1-5/8" Gate Frame
Fits 1-7/8", 2-3/8" & 2-7/8" Posts
Max Load 55 Lbs
Black Polymer & Stainless Internals
Fasteners Included

Y

TCAMA2RND



Round Post – Chain Link

Nylon Gate Handle w/ Bumper Stop

Rubber Back Pad
1 Quick Fit Alignment Leg
Fits up to 2" Gap
Black or White Nylon
Fasteners Not Included

Y

NW61435-BL

NW61435-WH



Lokk-Bolt (Cane Bolt) - Square

24 " Long Bolt
Lockable & Re-keyable 6 Pin
Retention Grooves Hold Bolt Up Position
Black Polymer & Stainless Rod/Internals

Y

LB124BX-KSA



Base Plate for Lokk-Bolt (Cane Bolt)

Black Polymer & Stainless Rod/Internals

Y

LBBPBG





SAFETY ASSEMBLIES

Rolo Gate Std Bracket 1 5/8" Frame	Stock	Pcs /Bag	Weight	Part #
5" P.S. Track Wheel c/w Std Bracket No Fall	Y	4	4.30 lbs	158 RWC
5" P.S. Track Wheel Only	Y	20	2.90 lbs	158 RW
Std. Bracket for 5" Wheel	Y	50	.71 lbs	158 RWB



Rolo Gate HD Bracket 1 5/8" Frame	Stock	Pcs /Bag	Weight	Part #
5" P.S. Track Wheel c/w Heavy Bracket	Y	4	4.3 lbs	158 RWHB
1 5/8 Heavy Duty Bracket	Y	25	1.40 lbs	158 HRWB



Rolo Gate HD Bracket 1 5/8" Frame	Stock	Pcs /Bag	Weight	Part #
5" Track Wheel Mall. Iron c/w Heavy Bracket	Y	4	7.00 lbs	158 HRWC-5
7" Track Wheel Mall. Iron c/w Heavy Bracket	Y	4	7.20 lbs	178 HRWC-7



Rolo Gate Rail Brackets	Stock	Pcs /Bag	Weight	Part #
1 5/8" - 1 7/8" Line Bracket	Y	20	2.55 lbs	178 LTB
2 3/8" - 2 7/8" Line Bracket	Y	20	2.65 lbs	238 LTB
3 1/2" Line Bracket	Y	20	2.75 lbs	312 LTB
Line Bracket for Wood Posts	Y	20	2.40 lbs	W LTB
Band Type Bracket without Heavy Bands	Y	20	1.17 lbs	158 BTB



Double Wheel Assemblies	Stock	Pcs /Bag	Weight	Part #
8" Semi-Pneumatic (No Flat)	Y	4	12.0 lbs	8-DWA-SP
10" Semi-Pneumatic (No Flat)	Y	2	30.0 lbs	10-DWA-S
16" Wheel Barrow (No Flat)	Y	2	45.0 lbs	16-DWA-P





COMMERCIAL SAFETY ASSEMBLIES

Single Wheels Only (No Flat)	Stock	/Bag	Weight	Part #
6" Semi-Pneumatic (No Flat)	Y	10	2.0 lbs	6-SPW
8" Semi-Pneumatic (No Flat)	Y	10	3.5 lbs	8-SPW
10" Semi- Pneumatic (No Flat)	Y	4	7.0 lbs	10-SPW
16" Wheelbarrow Tire (No Flat)	Y	1	8.0 lbs	16-PW
Add 8" Wheel to any gate				ABW8
Add 10" Wheel to any gate				ABW10SN
Add 16" Wheel to any gate				ABW16



Swivel Wheel Only				
1 3/8" Swivel Wheel	Y	4	2.0 lbs	138 SW
1 5/8" Swivel Wheel	Y	4	2.0 lbs	158 SW
Spring Loaded Helper Wheel (weld on)	Y	12	4.6 lbs	SLHW
Spring Loaded Helper Wheel (bolt on) 1 3/8"	Y	12	4.6 lbs	138 SLHW
Spring Loaded Helper Wheel (bolt on) 1 5/8"	Y	12	4.6 lbs	158 SLHW



Rolo Latch				
1 5/8" x 1 5/8" (2 PCS.) Without Brace Bands	Y	20	2.5 lbs	158 RL



Drop and Catch Latches				
1 5/8" Malleable Drop Latch	Y	25	1.0 lbs	158 DL
1 5/8" Malleable Catch Latch	Y	25	1.0 lbs	158 CL



Frost Free Latch				
1 5/8" x 1 5/8" Malleable Frost Free Latch	Y	10	2.8 lbs	158 FFL





CANTILEVER ROLLERS

Cantilever Gate Rollers Residential c/w 2 Ea. Sealed Bearings	Stock	Weight	Part #
2 3/8" Post Size X 1 3/8" Or 1 5/8" Rail	Y	5.5 lbs	238 CGRS



Cantilever Gate Rollers Heavy Duty c/w 2 Ea. Greaseable Tapered Bearings			
2 7/8" Post Size X 1 7/8" Or 2 3/8" Rail	Y	12.4 lbs	278 CGRS
3 1/2" Post Size X 1 7/8" Or 2 3/8" Rail	Y	17.0 lbs	312 CGRS
4 1/2" Post Size X 1 7/8" Or 2 3/8" Rail	Y	19.4 lbs	412 CGRS
6 5/8" Post Size X 1 7/8" Or 2 3/8" Rail	Y	22.0 lbs	658 GCRS
Replacement Wheel c/w Bearings	Y	5.0 lbs	312 RR



Cantilever Gate Rollers Heavy Duty -Nylon c/w 2 Ea. Sealed Bearings			
3 1/2" Post Size X 1 7/8" Or 2 3/8" Rail	Y	14.0 lbs	312 NCGR
4 1/2" Post Size X 1 7/8" Or 2 3/8" Rail	Y	15.0 lbs	412 NCGR




Top Guard for Cantilever Roller			
3 1/2" & 4 1/2" Roller Guard	Y	4.1 lbs	CRG



V-Bracket for Cantilever Gate			
V-Bracket Large	Y	11 lbs	VB
V-Bracket Small	Y	5 lbs	VB-S



Heavy Duty Tapered Roller Bearings





PREMIUM AND TANDEM CANTILEVER ROLLERS

PREMIUM CANTILEVER ROLLERS

Our Premium Rollers are made specifically for high use automated gates and for cantilever gates that require a smoother slide.

They can replace the standard import rollers on existing automated gates as they have the same offset distance.

The upgraded features of the Phoenix Fence Premium Rollers are:

- Automotive grade tapered greaseable bearings with synthetic low temperature grease.
- Substantially heavier base, shaft holder and roller.
- Tighter fit shaft into the base.
- Rollers are cast, then are machined smooth and true before galvanizing to ensure a smooth finish and gate slide.
- Premium rollers are up to 2.5 lbs. heavier than the standard rollers.



"Premium" Cantilever Gate Rollers c/w 2 Ea. Sealed Bearings	Stock	Weight	Part #
3 1/2" Post Size x 1 7/8" or 2 3/8" Gate Frame Size	Y	19.5 lbs	312 PFPCR
4 1/2" Post Size x 1 7/8" or 2 3/8" Gate Frame Size	Y	20.7 lbs	412 PFPCR
6 5/8" Post Size x 1 7/8" or 2 3/8" Gate Frame Size	Y	24.2 lbs	658 PFPCR

TANDEM CANTILEVER ROLLERS

Designed for use on extremely large gates. Phoenix Fence now manufactures single slide cantilever gates up to 50' single and 100' double slide with the use of these tandem rollers. We have manufactured and installed several of these size gates including our own gate at our shop that has been our test gate since 2012.

Tandem Cantilever Gate Rollers Heavy Duty -Nylon c/w 2 Ea. Sealed Bearings			
4 1/2" Post Size x 1 7/8" or 2 3/8" Frame Gate Frame Size (2 3/8" Recommended)	Y	44 lbs	412 PTXCR
6 5/8" Post Size x 1 7/8" or 2 3/8" Frame Gate Frame Size (2 3/8" Recommended)	Y	44 lbs	658 PTXCR





PANEL CLAMPS AND GATE FITINGS

Panel Clamps	Stock	Pcs /Bag	Weight	Part #
1 3/8" c/w 3/8" X 2" Bolt	Y	100	0.50 lbs	138 PPC
1 5/8" c/w 3/8" X 2 1/2" Bolt	Y	100	0.72 lbs	158 PPC
1 7/8" c/w 1/2" X 3" Bolt	Y	25	2.29 lbs	178 PPC
2 3/8" c/w 1/2" X 4" Bolt	Y	25	2.33 lbs	238 PPC
1 3/8" Saddle Clamps c/w Bolt	Y	100	0.50 lbs	138 SC



Dog Run Kennel Latch

1 3/8" X 1 3/8" – 50 Per Bag	Y	50	1.00 lbs	138 DRL
------------------------------	---	----	----------	---------



Industrial Drop Pin Assemblies

3/4" Drop Pin Kit C/W Chain, 2 Plates & "U" Hook	Y	25	0.71 Lbs	DPK
Add Drop Pin Kit to gate				ADP
3/4" Foot Bolt Kit C/W 24" Foot Bolt & 2 Plates	Y	10	3.00 Lbs	FBA
Add Foot Bolt Kit to gate				AFB
Add Drop Pin Kit and Foot Bolt				ADPFB
"U" Hook Only	Y	100	0.20 Lbs	UH
Notched Plates 3/4"	Y	100	0.22 Lbs	NP
Plain Plates 5/8"	Y	100	0.22 Lbs	PP
Drop Pin and Chain	Y	50	0.71 Lbs	DP
Foot bolt	Y	50	3.00 Lbs	FB



Centre Rest

Slotted Centre Rest	Y	1	1.70 lbs	CR77
---------------------	---	---	----------	------





COMMERCIAL GATE ACCESSORIES

Panic Hardware	Stock	Weight	Part #
Exit Only Panic Hardware, Lever style	Y	15.0 lbs	44 EO
Enter/Exit c/w Thumb latch, Lever style	Y	20.0 lbs	44 TP
Exit Only Panic Hardware, Push bar style	Y	15.0 lbs	EOPH PB
Enter/Exit c/w Thumb latch, Push bar style	Y	20.0 lbs	EEPH PB



Lock Boxes (1 3/4" Thick)

2 3/8" Back set	Y	1.00 lbs	238 SLB
2 3/4" Back set	Y	1.00 lbs	234 SLB
For Unican Lock - Standard	Y	3.00 lbs	K-BXSIM
For Unican Lock – Double Sided	Y	3.00 lbs	K-BXSIM-EE



Industrial Spring Closures

2 7/8" X 1 5/8" c/w hinge & 3 bolt on lugs	Y	6.00 lbs	278 ISC
3 1/2" X 1 5/8" c/w hinge & 3 bolt on lugs	Y	6.20 lbs	312 ISC
Replacement Spring for Industrial Closure	Y	1.00 lbs	RSISC
Black Coiled Spring Closure	Y	0.50 lbs	SCBCT



Phoenix Fence also stocks all the plates and shrouds for mounting the panic hardware, please inquire





SECTION F1 Residential Gates

PAGE

Bent Tube Swing Gate - 1-3/8" Frame c/w 11 or 9ga mesh
Bent Tube Only-1 3/8 Frame Only

1

Coloured Bent Tube Single Swing – 1 3/8" Frame c/w 9ga Vinyl mesh
Coloured Bent Tube – 1 3/8" Frame Only

2

Welded Single Swing – 1 3/8" Frame c/w 11 or 9 ga mesh
3' H – 3.5' H – 4' H

3

Welded Single Swing – 1 3/8" Frame c/w 11 or 9 ga mesh
5' H – 6' H

4

Coloured Welded Single Swing – 1 3/8" Frame c/w 9ga Vinyl mesh
3' H – 3.5' H – 4' H

5

Coloured Welded Single Swing – 1 3/8" Frame c/w 9ga Vinyl mesh
5' H – 6' H

6

Welded Double Swing – 1 3/8" Frame c/w 11 or 9 ga mesh
3' H – 3.5' H – 4' H

7

Welded Double Swing – 1 3/8" Frame c/w 11 or 9 ga mesh
5' H – 6' H

8

Coloured Welded Double Swing - 1 3/8" Frame c/w 9ga Vinyl mesh
3' H – 3.5' H – 4' H

9

Coloured Welded Double Swing - 1 3/8" Frame c/w 9ga Vinyl mesh
5' H – 6' H

10



SECTION F2 Commercial / Industrial Swing Gates

PAGE #

Commercial Swing Gate Specifications

1

Welded Single Swing – 1 5/8" Frame c/w 11 or 9 ga mesh
4' H – 5' H – 6' H

2

Welded Single Swing – 1 5/8" Frame c/w 11 or 9 ga mesh
7' H – 8' H

3

Welded Single Swing – 1 5/8" Frame c/w 11 or 9 ga mesh
6' H – 7' H – 8' H

4

Commercial Double Swing Gate Specifications

5

Welded Double Swing – 1 5/8" Frame c/w 11 or 9 ga mesh
4' H – 5' H – 6' H

6

Welded Double Swing – 1 5/8" Frame c/w 11 or 9 ga mesh
7' H – 8' H

7

Welded Double Swing – 1 5/8" Frame c/w 11 or 9 ga mesh
6' H – 7' H – 8' H

8

Commercial Rolo Sliding Gate Specifications

9

Welded Single Swing - 1 5/8" Frame c/w 9ga Vinyl mesh
4' H – 5' H – 6' H

10

Single Welded Slide – 1 5/8" Frame c/w 11 or 9 ga mesh
7' H – 8' H

11

Welded Single Slide – 1 5/8" Frame c/w 11 or 9 ga mesh
6' H – 7' H – 8' H

12



SECTION F3		PAGE #
Residential / Commercial / Industrial Slide Gates		
Cantilever Slide Gate Spec		1
Residential Welded Single Slide 4' H – 5' H – 6' H F.F.H.		2
Commercial Welded Single Slide 4' H – 5' H – 6' H F.F.H.		3
Commercial Welded Single Slide 7' H – 8' H F.F.H.		4
Welded Single Slide – Commercial B.W.O Cantilever 6' H – 7' H – 8' H		5
Cantilever Slide Heavy Gate Specification		6
SECTION F4		
Pipe / Mesh Gates		
Four Rail Pipe Gates – 4' H Five Rail Pipe Gates – 4' H		1
Meshed Farm Gates – 4' H		2



SECTION F5 Portable Oilfield Panel Systems

PAGE #

Portable Fence Enclosures

1

General Panel Specifications

2

F.F.H Light Duty Portable Fence Panels – c/w 9 ga Galvanized Mesh
B.W.O Light Duty Portable Fence Panels – c/w 9 ga Galvanized Mesh

3

F.F.H Medium Duty Portable Fence Panels – c/w 9 ga Galvanized Mesh
B.W.O Medium Duty Portable Fence Panels – c/w 9 ga Galvanized Mesh

4

F.F.H Heavy Duty Portable Fence Panels – c/w 9 ga Galvanized Mesh
B.W.O Heavy Duty Portable Fence Panels – c/w 9 ga Galvanized Mesh

5

F.F.H Heavy Panel – c/w Double Swing Gate
F.F.H Man Gate Options
B.W.O Heavy Panel – c/w Double Swing Gate
B.W.O Man Gate Options

6


Pounding Rods
T-Stands

7



SINGLE SWING GATES

Bent Tube Single Swing 1 3/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
3' H	32" – 44" Open	C	15 lbs	3 BT
	44" Open	Y	17 lbs	3 BT
	45" – 60" Open	C	17 lbs	3 BTE
3.5 H	32" – 44" Open	C	17 lbs	35 BT
	44" Open	Y	20 lbs	35 BT
	45" – 60" Open	C	20 lbs	35 BTE
4' H	32" – 44" Open	C	19 lbs	4 BT
	44" Open	Y	23 lbs	4 BT
	45" – 60" Open	C	23 lbs	4 BTE
5' H	32" – 44" Open	C	23 lbs	5 BT
	44" Open	Y	27 lbs	5 BT
	45" – 60" Open	C	27 lbs	5 BTE
6' H	32" – 44" Open	C	26 lbs	6 BT
	44" Open	Y	30 lbs	6 BT
	45" – 60" Open	C	30 lbs	6 BTE




Bent Tube 1 3/8" Frame Only				
3' H	32" – 44" Open	Y	15 lbs	3 SBT
3.5" H	32" – 44" Open	Y	17 lbs	35 SBT
4' H	32" – 44" Open	Y	19 lbs	4 SBT
5' H	32" – 44" Open	Y	23 lbs	5 SBT
6' H	32" – 44" Open	Y	26 lbs	6 SBT
24" Bent Tube Gate Extension		Y	1.0	24 GE



COLOURED SINGLE SWING GATES

Coloured Bent Tube Single Swing 1 3/8" Frame c/w 9 ga Vinyl Mesh		Stock	Weight	Part #
3' H	32" – 44" Open	C	15 lbs	3 FCBT
	44" Open	Y	17 lbs	3 FCBT
	45" – 60" Open	C	17 lbs	3 FCBTE
3.5 H	32" – 44" Open	C	17 lbs	35 FCBT
	44" Open	Y	20 lbs	35 FCBT
	45" – 60" Open	C	20 lbs	35 FCBTE
4' H	32" – 44" Open	C	19 lbs	4 FCBT
	44" Open	Y	23 lbs	4 FCBT
	45" – 60" Open	C	23 lbs	4 FCBTE
5' H	32" – 44" Open	C	23 lbs	5 FCBT
	44" Open	Y	27 lbs	5 FCBT
	45" – 60" Open	C	27 lbs	5 FCBTE
6' H	32" – 44" Open	C	26 lbs	6 FCBT
	44" Open	Y	30 lbs	6 FCBT
	45" – 60" Open	C	30 lbs	6 FCBTE



Coloured Bent Tube 1 3/8" Frame Only				
3' H	32" – 44" Open	Y	15 lbs	3 CBT
3.5" H	32" – 44" Open	Y	17 lbs	35 CBT
4' H	32" – 44" Open	Y	19 lbs	4 CBT
5' H	32" – 44" Open	Y	23 lbs	5 CBT
6' H	32" – 44" Open	Y	26 lbs	6 CBT
24" Bent Tube Gate Extension		Y	1.0	24 CGE

*Gate Widths are based on OPENING sizes from inside post to inside post.


*Available in white, green, brown, or black.

*Gates do not include hardware (refer to Section E1)



SINGLE SWING GATES

Welded Single Swing 1 3/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
3' H	44" Open		25 lbs	44-3 RSS
	48" Open (4')		29 lbs	4-3 RSS
	72" Open (6')		42 lbs	6-3 RSS
	96" Open (8')		51 lbs	8-3 RSS
	120" Open (10')		56 lbs	10-3 RSS
	144" Open (12')		66 lbs	12-3 RSS
3.5' H	44" Open		28 lbs	44-35 RSS
	48" Open (4')		32 lbs	4-35 RSS
	72" Open (6')		47 lbs	6-35 RSS
	96" Open (8')		57 lbs	8-35 RSS
	120" Open (10')		62 lbs	10-35 RSS
	144" Open (12')		71 lbs	12-35 RSS
4' H	44" Open		30 lbs	44-4 RSS
	48" Open (4')		35 lbs	4-4 RSS
	72" Open (6')		50 lbs	6-4 RSS
	96" Open (8')		60 lbs	8-4 RSS
	120" Open (10')		67 lbs	10-4 RSS
	144" Open (12')		77 lbs	12-4 RSS



**OTHER SIZES
AVAILABLE**


- *Gate Hardware Extra
- *Gate Scroll Available Upon Request
- *Gates over 8' Ft. (W) c/w a vertical brace.
- *Gates over 5 Ft. (H) c/w a horizontal brace
- *Gate widths are based on opening sizes from inside post to inside post.





SINGLE SWING GATES

Welded Single Swing 1 3/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
5' H	44" Open		40 lbs	44-5 RSS
	48" Open (4')		47 lbs	4-5 RSS
	72" Open (6')		67 lbs	6-5 RSS
	96" Open (8')		81 lbs	8-5 RSS
	120" Open (10')		90 lbs	10-5 RSS
	144" Open (12')		103 lbs	12-5 RSS
6' H	44" Open		46 lbs	44-6 RSS
	48" Open (4')		53 lbs	4-6 RSS
	72" Open (6')		76 lbs	6-6 RSS
	96" Open (8')		91 lbs	8-6 RSS
	120" Open (10')		100 lbs	10-6 RSS
	144" Open (12')		115 lbs	12-6 RSS




**OTHER SIZES
AVAILABLE**

*Gates over 8' Ft. (W) c/w a vertical brace.

*Gates over 5 Ft. (H) c/w a horizontal brace


*Gate widths are based on opening sizes from inside post to inside post.





COLOURED SINGLE SWING GATES

Coloured Welded Single Swing 1 3/8" Frame c/w 9 ga Vinyl Mesh		Stock	Weight	Part #
3' H	44" Open		25 lbs	44-3 FCSS
	48" Open (4')		29 lbs	4-3 FCSS
	72" Open (6')		42 lbs	6-3 FCSS
	96" Open (8')		51 lbs	8-3 FCSS
	120" Open (10')		56 lbs	10-3 FCSS
	144" Open (12')		66 lbs	12-3 FCSS
3.5' H	44" Open		28 lbs	44-35 FCSS
	48" Open (4')		32 lbs	4-35 FCSS
	72" Open (6')		47 lbs	6-35 FCSS
	96" Open (8')		57 lbs	8-35 FCSS
	120" Open (10')		62 lbs	10-35 FCSS
	144" Open (12')		71 lbs	12-35 FCSS
4' H	44" Open		30 lbs	44-4 FCSS
	48" Open (4')		35 lbs	4-4 FCSS
	72" Open (6')		50 lbs	6-4 FCSS
	96" Open (8')		60 lbs	8-4 FCSS
	120" Open (10')		67 lbs	10-4 FCSS
	144" Open (12')		77 lbs	12-4 FCSS



**OTHER SIZES
AVAILABLE**

*Gates over 8' Ft. (W) c/w a vertical brace.

*Gates over 5 Ft. (H) c/w a horizontal brace

*Gate widths are based on opening sizes from inside post to inside post.




Distance between posts



COLOURED SINGLE SWING GATES

Coloured Welded Single Swing 1 3/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
5' H	44" Open		37 lbs	44-5 FCSS
	48" Open (4')		38 lbs	4-5 FCSS
	72" Open (6')		44 lbs	6-5 FCSS
	96" Open (8')		50 lbs	8-5 FCSS
	120" Open (10')		63 lbs	10-5 FCSS
	144" Open (12')		80 lbs	
6' H	44" Open		42 lbs	44-6 FCSS
	48" Open (4')		44 lbs	4-6 FCSS
	72" Open (6')		50 lbs	6-6 FCSS
	96" Open (8')		55 lbs	8-6 FCSS
	120" Open (10')		70 lbs	10-6 FCSS
	144" Open (12')		88 lbs	12-6 FCSS



**OTHER SIZES
AVAILABLE**

*Gates over 8' Ft. (W) c/w a vertical brace.

*Gates over 5 Ft. (H) c/w a horizontal brace

*Gate widths are based on opening sizes from inside post to inside post.





DOUBLE SWING GATES

Welded Double Swing 1 3/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
3' H	120" Open (10')		61 lbs	10-3 RDS
	144" Open (12')		70 lbs	12-3 RDS
	168" Open (14')		77 lbs	14-3 RDS
	192" Open (16')		85 lbs	16-3 RDS
	240" Open (20')		119 lbs	20-3 RDS
	288" Open (24')		139 lbs	24-3 RDS
3.5' H	120" Open (10')		74 lbs	10-35 RDS
	144" Open (12')		92 lbs	12-35 RDS
	168" Open (14')		102 lbs	14-35 RDS
	192" Open (16')		111 lbs	16-35 RDS
	240" Open (20')		129 lbs	20-35 RDS
	288" Open (24')		148 lbs	24-35 RDS
4' H	120" Open (10')		74 lbs	10-4 RDS
	144" Open (12')		82 lbs	12-4 RDS
	168" Open (14')		92 lbs	14-4 RDS
	192" Open (16')		101 lbs	16-4 RDS
	240" Open (20')		138 lbs	20-4 RDS
	288" Open (24')		160 lbs	24-4 RDS

**OTHER SIZES
AVAILABLE**

- *Drop pin, foot bolt latch and welded hinge lugs included
- *Post Hinge hardware extra
- *Gate Scroll Available Upon Request
- *Panels over 8' Ft. (W) c/w a vertical brace.
- *Panels over 5 Ft. (H) c/w a horizontal brace
- *Gate widths are based on opening sizes from inside post to inside post.






DOUBLE SWING GATES

Welded Double Swing 1 3/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
5' H	120" Open (10')		97 lbs	10-5 RDS
	144" Open (12')		110 lbs	12-5 RDS
	168" Open (14')		112 lbs	14-5 RDS
	192" Open (16')		135 lbs	16-5 RDS
	240" Open (20')		184 lbs	20-5 RDS
	288" Open (24')		212 lbs	24-5 RDS
6' H	120" Open (10')		110 lbs	10-6 RDS
	144" Open (12')		123 lbs	12-6 RDS
	168" Open (14')		137 lbs	14-6 RDS
	192" Open (16')		151 lbs	16-6 RDS
	240" Open (20')		205 lbs	20-6 RDS
	288" Open (24')		236 lbs	24-6 RDS

**OTHER SIZES
AVAILABLE**

- *Hinge hardware extra, drop pin & foot bolt latch included
- *Gate Scroll Available Upon Request
- *Panels over 8' Ft. (W) c/w a vertical brace.
- *Panels over 5 Ft. (H) c/w a horizontal brace
- *Gate widths are based on opening sizes from inside post to inside post.





COLOURED DOUBLE SWING GATES

Coloured Welded Double Swing 1 3/8" Frame c/w 9 ga Vinyl Mesh		Stock	Weight	Part #
3' H	120" Open (10')		61 lbs	10-3 FCDS
	144" Open (12')		70 lbs	12-3 FCDS
	168" Open (14')		77 lbs	14-3 FCDS
	192" Open (16')		85 lbs	16-3 FCDS
	240" Open (20')		119 lbs	20-3 FCDS
	288" Open (24')		139 lbs	24-3 FCDS
3.5' H	120" Open (10')		74 lbs	10-35 FCDS
	144" Open (12')		92 lbs	12-35 FCDS
	168" Open (14')		102 lbs	14-35 FCDS
	192" Open (16')		111 lbs	16-35 FCDS
	240" Open (20')		129 lbs	20-35 FCDS
	288" Open (24')		148 lbs	24-35 FCDS
4' H	120" Open (10')		74 lbs	10-4 FCDS
	144" Open (12')		82 lbs	12-4 FCDS
	168" Open (14')		92 lbs	14-4 FCDS
	192" Open (16')		101 lbs	16-4 FCDS
	240" Open (20')		138 lbs	20-4 FCDS
	288" Open (24')		160 lbs	24-4 FCDS

**OTHER SIZES
AVAILABLE**

- *Hinge hardware extra, drop pin & foot bolt latch included
- *Gate Scroll Available Upon Request
- *Panels over 8' Ft. (W) c/w a vertical brace.
- *Panels over 5 Ft. (H) c/w a horizontal brace
- *Gate widths are based on opening sizes from inside post to inside post.







COLOURED DOUBLE SWING GATES

Coloured Welded Double Swing 1 3/8" Frame c/w 9 ga Vinyl Mesh		Stock	Weight	Part #
5' H	120" Open (10')		97 lbs	10-5 FCDS
	144" Open (12')		110 lbs	12-5 FCDS
	168" Open (14')		112 lbs	14-5 FCDS
	192" Open (16')		135 lbs	16-5 FCDS
	240" Open (20')		184 lbs	20-5 FCDS
	288" Open (24')		212 lbs	24-5 FCDS
6' H	120" Open (10')		110 lbs	10-6 FCDS
	144" Open (12')		123 lbs	12-6 FCDS
	168" Open (14')		137 lbs	14-6 FCDS
	192" Open (16')		151 lbs	16-6 FCDS
	240" Open (20')		205 lbs	20-6 FCDS
	288" Open (24')		236 lbs	24-6 FCDS


**OTHER SIZES
AVAILABLE**

- *Hinge hardware extra, drop pin & foot bolt latch included
- *Gate Scroll Available Upon Request
- *Panels over 8' Ft. (W) c/w a vertical brace.
- *Panels over 5 Ft. (H) c/w a horizontal brace
- *Gate widths are based on opening sizes from inside post to inside post.





COMMERCIAL SINGLE SWING



New construction or replacing existing gates

- Constructed of 14 gauge (.083) galvanized pipe and 9 gauge chain link mesh.
- Gate can be mounted on any size gate post (specify) with regular industrial gate hinges.
- Standard width is 49 1/2" (opening size).
- Can be made in any width (2' – 20'+) and height (3' – 12'+), with or without barbed wire


Panic hardware gates can replace your existing standard chain link man gates for faster emergency exits, and can be installed on any size of steel post.

The following information is required when ordering a panic hardware gate:

1. Gate opening size.
2. Outside diameter of posts (inches).
3. Height of fence to the top of the chain link mesh.
4. Does the gate have barbed wire or not?
5. Which way does the gate swing? (On which side is the hinge when facing the gate from the outside?)
6. Do you require exit only or enter/exit panic hardware?

Three options available:

- a) **Exit only:** Gate can only be used for exit. Can not enter from outside of gate.
- b) **Enter/exit pull pin style:** Gate can always be opened from inside, gate can be opened from the outside by unlocking a padlock and pulling a pin.
- c) **Enter/exit thumb latch style:** Gate can always be opened from inside; gate can be opened from the outside by unlocking a keyed cylinder and thumb latch.
- d) Panic hardware is mounted on a 14 gauge galvanized plate.






Welded Single Swing 1 5/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
4' H	48" Open (4')		38 lbs	4-4 FSS
	72" Open (6')		48 lbs	6-4FSS
	96" Open (8')		58 lbs	8-4 FSS
	120" Open (10')		69 lbs	10-4 FSS
	144" Open (12')		84 lbs	12-4 FSS
	168" Open (14')		102 lbs	14-4 FSS
	192" Open (16')		112 lbs	16-4 FSS
	216" Open (18')		128 lbs	18-4 FSS
	240" Open (20')		140 lbs	20-4 FSS
5' H	48" Open (4')		49 lbs	4-5 FSS
	72" Open (6')		63 lbs	6-5 FSS
	96" Open (8')		76 lbs	8-5 FSS
	120" Open (10')		90 lbs	10-5 FSS
	144" Open (12')		110 lbs	12-5 FSS
	168" Open (14')		115 lbs	14-5 FSS
	192" Open (16')		127 lbs	16-5 FSS
	216" Open (18')		147 lbs	18-5 FSS
	240" Open (20')		159 lbs	20-5 FSS
6' H	48" Open (4')		55 lbs	4-6 FSS
	72" Open (6')		70 lbs	6-6 FSS
	96" Open (8')		85 lbs	8-6 FSS
	120" Open (10')		100 lbs	10-6 FSS
	144" Open (12')		122 lbs	12-6 FSS
	168" Open (14')		145 lbs	14-6 FSS
	192" Open (16')		161 lbs	16-6 FSS
	216" Open (18')		185 lbs	18-6 FSS
	240" Open (20')		200 lbs	20-6 FSS

**OTHER SIZES
AVAILABLE**



F.F.H. GATES

Welded Single Swing 1 5/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
7' H	48" Open (4')		61 lbs	4-7 FSS
	72" Open (6')		78 lbs	6-7 FSS
	96" Open (8')		94 lbs	8-7 FSS
	120" Open (10')		110 lbs	10-7 FSS
	144" Open (12')		134 lbs	12-7 FSS
	168" Open (14')		159 lbs	14-7 FSS
	192" Open (16')		179 lbs	16-7 FSS
	216" Open (18')		203 lbs	18-7 FSS
	240" Open (20')		221 lbs	20-7 FSS
8' H	48" Open (4')		85 lbs	4-8 FSS
	72" Open (6')		58 lbs	6-8 FSS
	96" Open (8')		102 lbs	8-8 FSS
	120" Open (10')		120 lbs	10-8 FSS
	144" Open (12')		146 lbs	12-8 FSS
	168" Open (14')		173 lbs	14-8 FSS
	192" Open (16')		194 lbs	16-8 FSS
	216" Open (18')		221 lbs	18-8 FSS
	240" Open (20')		239 lbs	20-8 FSS



**OTHER SIZES
AVAILABLE**




Welded Single Swing 1 5/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
6' H	48" Open (4')		59 lbs	4-6 BSS
	72" Open (6')		75 lbs	6-6 BSS
	96" Open (8')		90 lbs	8-6 BSS
	120" Open (10')		105 lbs	10-6 BSS
	144" Open (12')		127 lbs	12-6 BSS
	168" Open (14')		152 lbs	14-6 BSS
	192" Open (16')		171 lbs	16-6 BSS
	216" Open (18')		194 lbs	18-6 BSS
	240" Open (20')		211 lbs	20-6 BSS
7' H	48" Open (4')		65 lbs	4-7 BSS
	72" Open (6')		82 lbs	6-7 BSS
	96" Open (8')		99 lbs	8-7 BSS
	120" Open (10')		115 lbs	10-7 BSS
	144" Open (12')		139 lbs	12-7 BSS
	168" Open (14')		167 lbs	14-7 BSS
	192" Open (16')		187 lbs	16-7 BSS
	216" Open (18')		213 lbs	18-7 BSS
	240" Open (20')		231 lbs	20-7 BSS
8' H	48" Open (4')		72 lbs	4-8 BSS
	72" Open (6')		89 lbs	6-8 BSS
	96" Open (8')		107 lbs	8-8 BSS
	120" Open (10')		125 lbs	10-8 BSS
	144" Open (12')		152 lbs	12-8 BSS
	168" Open (14')		183 lbs	14-8 BSS
	192" Open (16')		202 lbs	16-8 BSS
	216" Open (18')		231 lbs	18-8 BSS
	240" Open (20')		249 lbs	20-8 BSS

**OTHER SIZES
AVAILABLE**



COMMERCIAL DOUBLE SWING



New construction or replacing existing gates

- Constructed of galvanized pipe and 9 gauge chain link mesh.
- Comes with or without barbed wire
- Gate can be mounted on any size gate post (specify) with regular industrial gate hinges.
- Standard openings for 8' – 40' (opening size).

The following information is required when ordering a double swing gate:

1. Gate opening size.
2. Outside diameter of posts (inches).
3. Height of fence to the top of the chain link mesh.
4. Does the gate have barbed wire or not?
5. Which way does the gate swing? (On which side is the hinge when facing the gate from the outside?)




Welded Double Swing 1 5/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
4' H	144" Open (12')		104 lbs	12-4 FDS
	192" Open (16')		130 lbs	16-4 FDS
	240" Open (20')		161 lbs	20-4 FDS
	288" Open (24')		185 lbs	24-4 FDS
	360" Open (30')		219 lbs	30-4 FDS
	384" Open (32')		230 lbs	32-4 FDS
	432" Open (36')		270 lbs	36-4 FDS
	480" Open (40')		293 lbs	40-4 FDS
5' H	144" Open (12')		120 lbs	12-5 FDS
	192" Open (16')		148 lbs	16-5 FDS
	240" Open (20')		184 lbs	20-5 FDS
	288" Open (24')		210 lbs	24-5 FDS
	360" Open (30')		246 lbs	30-5 FDS
	384" Open (32')		259 lbs	32-5 FDS
	432" Open (36')		306 lbs	36-5 FDS
	480" Open (40')		331 lbs	40-5 FDS
6' H	144" Open (12')		147 lbs	12-6 FDS
	192" Open (16')		184 lbs	16-6 FDS
	240" Open (20')		229 lbs	20-6 FDS
	288" Open (24')		262 lbs	24-6 FDS
	360" Open (30')		310 lbs	30-6 FDS
	384" Open (32')		328 lbs	32-6 FDS
	432" Open (36')		385 lbs	36-6 FDS
	480" Open (40')		417 lbs	40-6 FDS

**OTHER SIZES
AVAILABLE**



F.F.H. GATES

Welded Double Swing 1 5/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
7' H	144" Open (12')		166 lbs	12-7 FDS
	192" Open (16')		204 lbs	16-7 FDS
	240" Open (20')		255 lbs	20-7 FDS
	288" Open (24')		290 lbs	24-7 FDS
	360" Open (30')		340 lbs	30-7 FDS
	384" Open (32')		360 lbs	32-7 FDS
	432" Open (36')		423 lbs	36-7 FDS
	480" Open (40')		457 lbs	40-7 FDS
8' H	144" Open (12')		182 lbs	12-8 FDS
	192" Open (16')		221 lbs	16-8 FDS
	240" Open (20')		277 lbs	20-8 FDS
	288" Open (24')		315 lbs	24-8 FDS
	360" Open (30')		370 lbs	30-8 FDS
	384" Open (32')		389 lbs	32-8 FDS
	432" Open (36')		459 lbs	36-8 FDS
	480" Open (40')		497 lbs	40-8 FDS



**OTHER SIZES
AVAILABLE**





Welded Double Swing 1 5/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
6' H	144" Open (12')		158 lbs	12-6 BDS
	192" Open (16')		193 lbs	16-6 BDS
	240" Open (20')		242 lbs	20-6 BDS
	288" Open (24')		276 lbs	24-6 BDS
	360" Open (30')		326 lbs	30-6 BDS
	384" Open (32')		342 lbs	32-6 BDS
	432" Open (36')		406 lbs	36-6 BDS
	480" Open (40')		438 lbs	40-6 BDS
7' H	144" Open (12')		176 lbs	12-7 BDS
	192" Open (16')		213 lbs	16-7 BDS
	240" Open (20')		267 lbs	20-7 BDS
	288" Open (24')		304 lbs	24-7 BDS
	360" Open (30')		356 lbs	30-7 BDS
	384" Open (32')		375 lbs	32-7 BDS
	432" Open (36')		444 lbs	36-7 BDS
	480" Open (40')		478 lbs	40-7 BDS
8' H	144" Open (12')		185 lbs	12-8 BDS
	192" Open (16')		220 lbs	16-8 BDS
	240" Open (20')		256 lbs	20-8 BDS
	288" Open (24')		309 lbs	24-8 BDS
	360" Open (30')		362 lbs	30-8 BDS
	384" Open (32')		405 lbs	32-8 BDS
	432" Open (36')		480 lbs	36-8 BDS
	480" Open (40')		517 lbs	40-8 BDS

**OTHER SIZES
AVAILABLE**



COMMERCIAL ROLO SLIDING





Welded Single Slide 1 5/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
4' H	120" Open (10')		230 lbs	10-4 FR
	144" Open (12')		248 lbs	12-4 FR
	168" Open (14')		263 lbs	14-4 FR
	192" Open (16')		277 lbs	16-4 FR
	216" Open (18')		296 lbs	18-4 FR
	240" Open (20')		359 lbs	20-4 FR
5' H	120" Open (10')		240 lbs	10-5 FR
	144" Open (12')		261 lbs	12-5 FR
	168" Open (14')		277 lbs	14-5 FR
	192" Open (16')		292 lbs	16-5 FR
	216" Open (18')		314 lbs	18-5 FR
	240" Open (20')		379 lbs	20-5 FR
6' H	120" Open (10')		250 lbs	10-6 FR
	144" Open (12')		274 lbs	12-6 FR
	168" Open (14')		291 lbs	14-6 FR
	192" Open (16')		307 lbs	16-6 FR
	216" Open (18')		332 lbs	18-6 FR
	240" Open (20')		398 lbs	20-6 FR

**OTHER SIZES
AVAILABLE**



Welded Single Slide 1 5/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
7' H	120" Open (10')		260 lbs	10-7 FR
	144" Open (12')		287 lbs	12-7 FR
	168" Open (14')		305 lbs	14-7 FR
	192" Open (16')		323 lbs	16-7 FR
	216" Open (18')		350 lbs	18-7 FR
	240" Open (20')		418 lbs	20-7 FR
8' H	120" Open (10')		271 lbs	10-8 FR
	144" Open (12')		300 lbs	12-8 FR
	168" Open (14')		320 lbs	14-8 FR
	192" Open (16')		338 lbs	16-8 FR
	216" Open (18')		368 lbs	18-8 FR
	240" Open (20')		437 lbs	20-8 FR

**OTHER SIZES
AVAILABLE**




Welded Single Slide 1 5/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
6' H	120" Open (10')		250 lbs	10-6 FR
	144" Open (12')		274 lbs	12-6 FR
	168" Open (14')		291 lbs	14-6 FR
	192" Open (16')		307 lbs	16-6 FR
	216" Open (18')		332 lbs	18-6 FR
	240" Open (20')		398 lbs	20-6 FR
7' H	120" Open (10')		260 lbs	10-7 FR
	144" Open (12')		287 lbs	12-7 FR
	168" Open (14')		305 lbs	14-7 FR
	192" Open (16')		323 lbs	16-7 FR
	216" Open (18')		350 lbs	18-7 FR
	240" Open (20')		418 lbs	20-7 FR
8' H	120" Open (10')		271 lbs	10-8 FR
	144" Open (12')		300 lbs	12-8 FR
	168" Open (14')		320 lbs	14-8 FR
	192" Open (16')		338 lbs	16-8 FR
	216" Open (18')		368 lbs	18-8 FR
	240" Open (20')		437 lbs	20-8 FR

**OTHER SIZES
AVAILABLE**




CANTILEVER SLIDE GATES


Gate without
barbed wire



Gate with
barbed wire




- Must be used for automatic slide gate operators.
- Excellent for areas where the arc of the swing gate will interfere with storage area or roadways.
- Maximum single gate opening width of 30' (double gate width of 60').
- Most common single gate opening width of 24'.
- Gate is fully supported off the ground on four rollers.
- Gate posts (3 required for single gate, 4 required for double gate)
- Four rollers required for each gate panel.



Total gate length = opening size x 1.5, then add 1' (eg. 24' opening: $24' \times 1.5 = 36'$, $36' + 1' = 37'$)

Construction: 1 7/8" O.D. Schedule 40 top/bottom rails and end uprights.
1 3/8" O.D. .090 wall vertical and horizontal braces.

Gate posts: Gate posts on either side of gate opening are to be set to the actual opening (eg. 24') face to face of post. Gate posts for the counter balance are set to be 1/2 of the opening from center to center of post (eg. 12' for a 24' gate).





RESIDENTIAL F.F.H. CANTILEVER

Welded Single Slide		Stock	Weight	Part #	
4' H	120" Open (10')	N	189 lbs	10-4 RC	Welded Single Panels are built with 1 5/8" (Sch40) Rail 1 3/8" (.083) Vertical 1 3/8" (.083) Bracing Come finished 11 or 9 Gauge Fabric
	144" Open (12')	N	210 lbs	12-4 RC	
	168" Open (14')	N	243 lbs	14-4 RC	
5' H	120" Open (10')	N	214 lbs	10-5 RC	
	144" Open (12')	N	235 lbs	12-5 RC	
	168" Open (14')	N	272 lbs	14-5 RC	
6' H	120" Open (10')	N	238 lbs	10-6 RC	
	144" Open (12')	N	262 lbs	12-6 RC	
	168" Open (14')	N	301 lbs	14-6 RC	

- Excellent for areas where the arc of the swing gate will interfere with storage area or roadways.
- Maximum single gate opening width of 14' (double gate width of 28').
- Most common single gate opening width of 12'.
- Gate is fully supported off the ground on four rollers (required)
- Gate posts (3 required for single gate, 4 required for double gate)



COMMERCIAL F.F.H. CANTILEVER

	Welded Single Slide	Stock	Weight	Part #
4' H	120" Open (10')		195 lbs	10-4 FC
	144" Open (12')		209 lbs	12-4 FC
	192" Open (16')		253 lbs	16-4 FC
	240" Open (20')		311 lbs	20-4 FC
	288" Open (24')		371 lbs	24-4 FC
	192" Open (26')		395 lbs	26-4 FC
	240" Open (28')		420 lbs	28-4 FC
	360" Open (30')		433 lbs	30-4 FC
5' H	120" Open (10')		212 lbs	10-5 FC
	144" Open (12')		227 lbs	12-5 FC
	192" Open (16')		275 lbs	16-5 FC
	240" Open (20')		339 lbs	20-5 FC
	288" Open (24')		403 lbs	24-5 FC
	192" Open (26')		426 lbs	26-5 FC
	240" Open (28')		452 lbs	28-5 FC
	360" Open (30')		469 lbs	30-5 FC
6' H	120" Open (10')		229 lbs	10-6 FC
	144" Open (12')		246 lbs	12-6 FC
	192" Open (16')		297 lbs	16-6 FC
	240" Open (20')		366 lbs	20-6 FC
	288" Open (24')		435 lbs	24-6 FC
	192" Open (26')		460 lbs	26-6 FC
	240" Open (28')		485 lbs	28-6 FC
	360" Open (30')		504 lbs	30-6 FC

Welded Single Panels are built
with 1 7/8" or 2 3/8" (Sch40) Rail

1 5/8" (.083) Vertical

1 3/8" (.083) Bracing

Come finished 9 Gauge Fabric



COMMERCIAL F.F.H. CANTILEVER

	Welded Single Slide	Stock	Weight	Part #
7' H	120" Open (10')		246 lbs	10-7 FC
	144" Open (12')		264 lbs	12-7 FC
	192" Open (16')		319 lbs	16-7 FC
	240" Open (20')		393 lbs	20-7 FC
	288" Open (24')		467 lbs	24-7 FC
	192" Open (26')		494 lbs	26-7 FC
	240" Open (28')		520 lbs	28-7 FC
	360" Open (30')		540 lbs	30-7 FC
8' H	120" Open (10')		264 lbs	10-8 FC
	144" Open (12')		282 lbs	12-8 FC
	192" Open (16')		341 lbs	16-8 FC
	240" Open (20')		420 lbs	20-8 FC
	288" Open (24')		500 lbs	24-8 FC
	192" Open (26')		528 lbs	26-8 FC
	240" Open (28')		554 lbs	28-8 FC
	360" Open (30')		575 lbs	30-8 FC

Welded Single Panels are built
with 1 7/8" or 2 3/8" (Sch40) Rail

1 5/8" (.083) Vertical

1 3/8" (.083) Bracing

Come finished 9 Gauge Fabric



COMMERCIAL B.W.O. CANTILEVER

	Welded Single Slide	Stock	Weight	Part #
6' H	120" Open (10')		239 lbs	10-6 BC
	144" Open (12')		257 lbs	12-6 BC
	192" Open (16')		309 lbs	16-6 BC
	240" Open (20')		378 lbs	20-6 BC
	288" Open (24')		448 lbs	24-6 BC
	192" Open (26')		475 lbs	26-6 BC
	240" Open (28')		500 lbs	28-6 BC
	360" Open (30')		519 lbs	30-6 BC
7' H	120" Open (10')		256 lbs	10-7 BC
	144" Open (12')		275 lbs	12-7 BC
	192" Open (16')		331 lbs	16-7 BC
	240" Open (20')		405 lbs	20-7 BC
	288" Open (24')		480 lbs	24-7 BC
	192" Open (26')		509 lbs	26-7 BC
	240" Open (28')		535 lbs	28-7 BC
	360" Open (30')		555 lbs	30-7 BC
8' H	120" Open (10')		274 lbs	10-8 BC
	144" Open (12')		293 lbs	12-8 BC
	192" Open (16')		353 lbs	16-8 BC
	240" Open (20')		432 lbs	20-8 BC
	288" Open (24')		513 lbs	24-8 BC
	192" Open (26')		543 lbs	26-8 BC
	240" Open (28')		569 lbs	28-8 BC
	360" Open (30')		590 lbs	30-8 BC

Welded Single Panels are built
with 1 7/8" or 2 3/8" (Sch40) Rail

1 5/8" (.083) Vertical

1 3/8" (.083) Bracing

Comes finished 9 Gauge Fabric




EXTRA HEAVY INDUSTRIAL SLIDING CANTILEVER GATES FOR SINGLE OPENING SIZES TO 50' AND DOUBLE OPENING SIZES TO 100'

Phoenix Fence has installed and tested Single Sliding Cantilever gates to 50' openings, and double sliding cantilever gates to 100' openings, up to 8' high.

Gates are manufactured at our Edmonton Facility and have been installed and tested at our facility for over 5 years.

These gates can be automated using The Hy-Security Slide Drive Gate Operators (See Gate Operator Section), in conjunction with the Tandem Precision Gate Rollers (See Section E2, Page 4).

Please consult your Phoenix Fence salesperson for pricing and information.





PIPE GATES

Four Rail Pipe Gates		Weight	Part #
4' H	48" Open (4')	34 lbs	4-4 4C
	72" Open (6')	45 lbs	6-4 4C
	96" Open (8')	52 lbs	8-4 4C
	120" Open (10')	73 lbs	10-4 4C
	* 144" Open (12')	84 lbs	12-4 4C
	* 168" Open (14')	100 lbs	14-4 4C
	* 192" Open (16')	111 lbs	16-4 4C
	* 216" Open (18')	122 lbs	18-4 4C
	* 240" Open (20')	133 lbs	20-4 4C

Five Rail Pipe Gates			
4' H	48" Open (4')	37 lbs	4-4 5C
	72" Open (6')	50 lbs	6-4 5C
	96" Open (8')	68 lbs	8-4 5C
	120" Open (10')	82 lbs	10-4 5C
	* 144" Open (12')	95 lbs	12-4 5C
	* 168" Open (14')	112 lbs	14-4 5C
	* 192" Open (16')	125 lbs	16-4 5C
	* 216" Open (18')	147 lbs	18-4 5C
	* 240" Open (20')	162 lbs	20-4 5C

Rigid Welded Construction.

-1 5/8" O.D. 14 Ga. Galvanized Pipe.

-comes with chain latch that is a lockable 30" x 1/4" Chain.

Wood post mounting hardware recommended for gates (not included)

4' W – 10' W

- 2 ea. 5/8" x 12" hinge bolts
- 2 ea. 1 5/8" x 5/8" frame hinges
- 4 ea. 5/8" flat washers

12' W – 20' W

- *- 2 ea. 3/4" x 12" hinge bolts
- 2 ea. 1 5/8" x 3/4" bolt on lugs
- 4 ea. 3/4" flat washers

-Width Sizes Indicate Opening Sizes

8' to 18' gates have one vertical brace,
20" gates have two vertical braces

NOTE: Phoenix Fence recommends a section of fence for support on stand alone gate posts for panels with 12' and larger openings



MESHED GATES

Meshed Farm Gates		Weight	Part #	Rigid Welded Construction. -1 5/8" O.D. 14 Ga. Galvanized Pipe. -comes with chain latch that is a lockable 30" x 1/4" Chain. Wood post mounting hardware recommended for gates (not included) 4' W – 10' W - 2 ea. 5/8" x 12" hinge bolts - 2 ea. 1 5/8" x 5/8" frame hinges - 4 ea. 5/8" flat washers 12' W – 20' W *- 2 ea. 3/4" x 12" hinge bolts - 2 ea. 1 5/8" x 3/4" bolt on lugs - 4 ea. 3/4" flat washers
4' H	48" Open (4')	34 lbs	4-4 F	
	72" Open (6')	41 lbs	6-4 F	
	96" Open (8')	49 lbs	8-4 F	
	120" Open (10')	62 lbs	10-4 F	
*	144" Open (12')	69 lbs	12-4 F	
*	168" Open (14')	76 lbs	14-4 F	
*	192" Open (16')	84 lbs	16-4 F	
*	216" Open (18')	100 lbs	18-4 F	
*	240" Open (20')	109 lbs	20-4 F	

-Width Sizes Indicate Opening Sizes

8' to 18' gates have one vertical brace,
20' gates have two vertical braces

NOTE: Phoenix Fence recommends a section of fence for support on stand alone gate posts for panels with 12' and larger openings



Portable Fence Enclosures

- Permanent or temporary security
- Ideal for remote, limited access or difficult to excavate sites

Applications

Oilfield


Well heads, tanks, valves, meter stations, etc.

Construction

Hoarding excavations, equipment and material storage.

Other

Garden centers, temporary sales areas, transformers and substations



Free standing

Easily and quickly installed. Completely re-useable and can be enlarged with additional panels.

Panels are simply clamped together and when formed in a four sided enclosure develop a rigid security fence.




General Panel Specifications

Panel sections are rigid welded construction using galvanized pipe with 6' high x 9-gauge galvanized chain link mesh attached with standard fence hardware. Panels are topped with 3 strands of barbed wire.


Standard panel sizes

- 8' to 24' length section
- 7' overall height (6' high plus 3 strands of barbed wire)

Panel Specifications	Light Duty	Medium duty	Heavy duty
Horizontal top rail	1 5/8" O.D.	1 5/8" O.D.	1 5/8" O.D.
Horizontal bottom rail	1 5/8" O.D.	2 3/8" O.D.	2 7/8" O.D.
Line post (panels over 12' in length)	1 5/8" O.D.	1 5/8" O.D.	1 5/8" O.D.
End post	1 5/8" O.D.	1 7/8" O.D.	2 3/8" O.D.
Double Swing Gate Specifications		Heavy duty panel only	
Gate frame size	1 5/8" O.D. (.083" wall)		
End post size	1 7/8" O.D. (.083" wall) with light or medium panels, 2 3/8" O.D. (.083" wall) with heavy duty panels		
Gate post size	2 3/8" O.D. (.083" wall)		
Horizontal bottom rail	2 7/8" O.D. (Schedule 40)		
Opening size	8' – 20' (4' less than overall length of panel)		
Panel size	12' – 24'		



Man gate with panic hardware
or optional Pushbar style



Panel with double swing gate

Gate options

- 4' Man gate inset into any panel c/w standard latch hardware.
- Panic hardware for emergency exit/entrance on man gates.



PORTABLE PANELS OILFIELD

F.F.H. Light Duty Portable Fence Panels c/w 9-gauge Galvanized Mesh

		Weight	Part #
6 H	96" Wide (8')	77 lbs	8-6 FL
	120" Wide (10')	91 lbs	10-6 FL
	144" Wide (12')	103 lbs	12-6 FL
	168" Wide (14')	124 lbs	14-6 FL
	192" Wide (16')	137 lbs	16-6 FL
	216" Wide (18')	150 lbs	18-6 FL
	240" Wide (20')	165 lbs	20-6 FL
	264" Wide (22')	176 lbs	22-6 FL
	288" Wide (24')	188 lbs	24-6 FL

B.W.O. Light Duty Portable Fence Panels c/w 9-gauge Galvanized Mesh

6' H	96" Wide (8')	82 lbs	8-6 BL
	120" Wide (10')	108 lbs	10-6 BL
	144" Wide (12')	97 lbs	12-6 BL
	168" Wide (14')	130 lbs	14-6 BL
	192" Wide (16')	143 lbs	16-6 BL
	216" Wide (18')	158 lbs	18-6 BL
	240" Wide (20')	174 lbs	20-6 BL
	264" Wide (22')	184 lbs	22-6 BL
	288" Wide (24')	198 lbs	24-6 BL



PORTABLE PANELS OILFIELD

F.F.H. Medium Duty Portable Fence Panels c/w 9-gauge Galvanized Mesh

		Weight	Part #
6 H	96" Wide (8')	88 lbs	8-6 FM
	120" Wide (10')	103 lbs	10-6 FM
	144" Wide (12')	117 lbs	12-6 FM
	168" Wide (14')	141 lbs	14-6 FM
	192" Wide (16')	153 lbs	16-6 FM
	216" Wide (18')	167 lbs	18-6 FM
	240" Wide (20')	183 lbs	20-6 FM
	264" Wide (22')	196 lbs	22-6 FM
	288" Wide (24')	210 lbs	24-6 FM

B.W.O. Medium Duty Portable Fence Panels c/w 9-gauge Galvanized Mesh

6' H	96" Wide (8')	92 lbs	8-6 BM
	120" Wide (10')	109 lbs	10-6 BM
	144" Wide (12')	149 lbs	12-6 BM
	168" Wide (14')	147 lbs	14-6 BM
	192" Wide (16')	162 lbs	16-6 BM
	216" Wide (18')	176 lbs	18-6 BM
	240" Wide (20')	191 lbs	20-6 BM
	264" Wide (22')	205 lbs	22-6 BM
	288" Wide (24')	220 lbs	24-6 BM



PORTABLE PANELS OILFIELD

F.F.H. Heavy Duty Portable Fence Panels c/w 9-gauge Galvanized Mesh

		Weight	Part #
6 H	96" Wide (8')	107 lbs	8-6 FH
	120" Wide (10')	125 lbs	10-6 FH
	144" Wide (12')	142 lbs	12-6 FH
	168" Wide (14')	168 lbs	14-6 FH
	192" Wide (16')	184 lbs	16-6 FH
	216" Wide (18')	202 lbs	18-6 FH
	240" Wide (20')	221 lbs	20-6 FH
	264" Wide (22')	237 lbs	22-6 FHH
	288" Wide (24')	255 lbs	24-6 FH

B.W.O. Heavy Duty Portable Fence Panels c/w 9-gauge Galvanized Mesh

6' H	96" Wide (8')	113 lbs	8-6 BH
	120" Wide (10')	132 lbs	10-6 BH
	144" Wide (12')	149 lbs	12-6 BH
	168" Wide (14')	176 lbs	14-6 BH
	192" Wide (16')	194 lbs	16-6 BH
	216" Wide (18')	212 lbs	18-6 BH
	240" Wide (20')	231 lbs	20-6 BH
	264" Wide (22')	247 lbs	22-6 BH
	288" Wide (24')	265 lbs	24-6 BH



PORTABLE PANELS

F.F.H. Heavy Panel c/w Double Swing Gate	Weight	Part #
12' Wide Panel c/w 8' Double Gate	390 lbs	12-8-6 FDS
14' Wide Panel c/w 10' Double Gate	420 lbs	14-10-6 FDS
16' Wide Panel c/w 12' Double Gate	450 lbs	16-12-6 FDS
18' Wide Panel c/w 14' Double Gate	480 lbs	18-14-6 FDS
20' Wide Panel c/w 16' Double Gate	510 lbs	20-16-6 FDS
22' Wide Panel c/w 18' Double Gate	550 lbs	22-18-6 FDS
24' Wide Panel c/w 20' Double Gate	580 lbs	24-20-6 FDS

F.F.H. Man Gate Options

4' Man Gate into Any Panel	59 lbs	A4-6 FS
4' Gate c/w Exit Panic Hardware (Push bar or Lever)	109 lbs	A4-6 FEOP
4' Gate c/w Enter/Exit Pin Style	119 lbs	A4-6 FNP
4' Gate c/w Enter/Exit Thumb latch	129 lbs	A4-6 FEFP

B.W.O. Heavy Panel c/w Double Swing Gate

12' Wide Panel c/w 8' Double Gate	390 lbs	12-8-6 BDS
14' Wide Panel c/w 10' Double Gate	420 lbs	14-10-6 BDS
16' Wide Panel c/w 12' Double Gate	450 lbs	16-12-6 BDS
18' Wide Panel c/w 14' Double Gate	480 lbs	18-14-6 BDS
20' Wide Panel c/w 16' Double Gate	510 lbs	20-16-6 BDS
22' Wide Panel c/w 18' Double Gate	550 lbs	22-18-6 BDS
24' Wide Panel c/w 20' Double Gate	580 lbs	24-20-6 BDS

B.W.O. Man Gate Options

4' Man Gate into Any Panel	59 lbs	A4-6 BS
4' Gate c/w Exit Panic Hardware (Push bar or Lever)	109 lbs	A4-6 BEOP
4' Gate c/w Enter/Exit Pin Style	119 lbs	A4-6 BNP
4' Gate c/w Enter/Exit Thumb latch	129 lbs	A4-6 BEEP




POUNDING RODS

Pounding Rods	Weight	Part #
1 7/8" x 6 FT (083) Pounding Rod c/w Bolt on Supports	14.9 lbs	P178LD6 BOS
1 7/8" x 8 FT (083) Pounding Rod c/w Bolt on Supports	18.1 lbs	P178LD8 BOS
1 7/8" x 6 FT (40) Pounding Rod c/w Bolt on Supports	21.6 lbs	P178SI6 BOS
1 7/8" x 8 FT (40) Pounding Rod c/w Bolt on Supports	27.0 lbs	P178SI8 BOS
1 7/8" x 6 FT (083) Pounding Rod c/w Swivel Supports	16.0 lbs	P178LD6 SS
1 7/8" x 8 FT (083) Pounding Rod c/w Swivel Supports	19.2 lbs	P178LD8 SS
1 7/8" x 6 FT (40) Pounding Rod c/w Swivel Supports	22.7 lbs	P178SI6 SS
1 7/8" x 8 FT (40) Pounding Rod c/w Swivel Supports	28.1 lbs	P178SI8 SS

T-STANDS

T-Stands		
1 7/8" x 5 FT (H) "T" Stand 5 FT c/w CAP	17.2 lbs	178-5-5-T
1 7/8" x 6 FT (H) "T" Stand 5 FT c/w CAP	18.5 lbs	178-6-5-T
1 7/8" x 7 FT (H) "T" Stand 5 FT c/w CAP	20.1 lbs	178-7-5-T
1 7/8" x 8 FT (H) "T" Stand 5 FT c/w CAP	21.7 lbs	178-8-5-T
1 7/8" x 9 FT (H) "T" Stand 5 FT c/w CAP	23.3 lbs	178-9-5-T
2 3/8" x 5 FT (H) "T" Stand 5 FT c/w CAP	23.0 lbs	238-5-5-T
2 3/8" x 6 FT (H) "T" Stand 5 FT c/w CAP	24.0 lbs	238-6-5-T
2 3/8" x 7 FT (H) "T" Stand 5 FT c/w CAP	26.0 lbs	238-7-5-T
2 3/8" x 8 FT (H) "T" Stand 5 FT c/w CAP	28.1 lbs	238-8-5-T
2 3/8" x 9 FT (H) "T" Stand 5 FT c/w CAP	30.1 lbs	238-9-5-T





PHOENIX FENCE Corp.

SECTION G
Dog Run Panels

PAGE #

Welded Dog Run Panels – 4' H – 1 3/8" Frame c/w 11 or 9 ga mesh

1

Welded Dog Run Panels – 5' H – 1 3/8" Frame c/w 11 or 9 ga mesh

2

Welded Dog Run Panels – 6' H – 1 3/8" Frame c/w 11 or 9 ga mesh

3



DOG RUN PANELS

STANDARD SIZE KENNELS:

All panels have welded pipe frames and 11-gauge galvanized chain link mesh.

There is no horizontal centre rail on any panels.

There is vertical rail added to panels over 10'

The standard kennels below are **FOUR FEET HIGH**, have a 3-foot wide gate complete with a latch and include all attachment hardware.

Welded Panels 1 3/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
4' H	4'		29 lbs	4-4 D11
4' H	4' c/w 4' Gate		53 lbs	4-4 DG11
4' H	6'		37 lbs	6-4 D11
4' H	6' c/w 3' Gate		69 lbs	6-4 DG11
4' H	8'		44 lbs	8-4 D11
4' H	8' c/w 3' Gate		76 lbs	8-4 DG11
4' H	10'		52 lbs	10-4 D11
4' H	10' c/w 3' Gate		84 lbs	10-4 DG11
4' H	12'		60 lbs	12-4 D11
4' H	12' c/w 3' Gate		92 lbs	12-4 DG11

**OTHER SIZES
AVAILABLE**

Additional Panel Options

40" X 4" PANEL STAND	7.0 lbs	40-4 PS
PUPPY GUARDS	--	APG
DOG HOUSE CUT OUTS	--	ADHC
HORIZONTAL CENTRE RAIL	1.18 lbs	DRCD



DOG RUN PANELS

STANDARD SIZE KENNELS:

All panels have welded pipe frames and 11-gauge galvanized chain link mesh.

There is no horizontal centre rail on any panels.

There is horizontal centre rail added to panels with 9-gauge on all widths.

The standard kennels below are **FIVE FEET HIGH**, have a 3-foot wide gate complete with a latch and include all attachment hardware.

Welded Panels 1 3/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
5' H	4'		34 lbs	4-5 D11
5' H	4' c/w 4' Gate		58 lbs	4-5 DG11
5' H	6'		42 lbs	6-5 D11
5' H	6' c/w 3' Gate		69 lbs	6-5 DG11
5' H	8'		50 lbs	8-5 D11
5' H	8' c/w 3' Gate		87 lbs	8-5 DG11
5' H	10'		59 lbs	10-5 D11
5' H	10' c/w 3' Gate		93 lbs	10-5 DG11
5' H	12'		67 lbs	12-5 D11
5' H	12' c/w 3' Gate		101 lbs	12-5 DG11

**OTHER SIZES
AVAILABLE**

Additional Panel Options

40" X 4" PANEL STAND	7.0 lbs	40-4 PS
PUPPY GUARDS	--	APG
DOG HOUSE CUT OUTS	--	ADHC
HORIZONTAL CENTRE RAIL	1.18 lbs	DRCD



DOG RUN PANELS

STANDARD SIZE KENNELS:

All panels have welded pipe frames and 11-gauge galvanized chain link mesh.

There is no horizontal centre rail on any panels 10' and under.

There is horizontal centre rail added to panels with 9-gauge on all widths.

The standard kennels below are **SIX FEET HIGH**, have a 3-foot wide gate complete with a latch and include all attachment hardware.

Welded Panels 1 3/8" Frame c/w 11 or 9 ga Mesh		Stock	Weight	Part #
6' H	4'		39 lbs	4-6 D11
6' H	4' c/w 4' Gate		68 lbs	4-6 DG11
6' H	6'		48 lbs	6-6 D11
6' H	6' c/w 3' Gate		88 lbs	6-6 DG11
6' H	8'		57 lbs	8-6 D11
6' H	8' c/w 3' Gate		97 lbs	8-6 DG11
6' H	10'		66 lbs	10-6 D11
6' H	10' c/w 3' Gate		107 lbs	10-6 DG11
6' H	12'		75 lbs	12-6 D11
6' H	12' c/w 3' Gate		116 lbs	12-6 DG11

**OTHER SIZES
AVAILABLE**

Additional Panel Options

40" X 4" PANEL STAND	7.0 lbs	40-4 PS
PUPPY GUARDS	--	APG
DOG HOUSE CUT OUTS	--	ADHC
HORIZONTAL CENTRE RAIL	1.18 lbs	DRCD



SECTION H **Privacy Products**

PAGE #

Maximum Slats – 90% Coverage – 10 Lineal Feet
Top Lock Slats – 75% Coverage – 10 Lineal Feet
Lite Link Slats – 75% Coverage – 10 Lineal Feet

1

Vinyl Fence Weave – 75% Coverage – 250' Roll
Hedgeline – Variable Coverage – 10 Lineal Feet

2

Safety Top Cap Lite
Safety Top Cap

3



PRIVACY PRODUCTS

MAXIMUM SLATS 90% Coverage – 10 lineal feet

	Stock	Weight	Part #
48" Height	ALL	10.0 lbs	48 MAXI *
60" Height	ALL	12.0 lbs	60 MAXI *
72" Height	ALL	14.0 lbs	72 MAXI *

Stock Colours:

* **G**-GREEN/ **W**-WHITE/ **B**-BROWN/ **BL**-BLACK/ **BG**-BEIGE/ **GY**-GREY

* 25-year pro-rata warranty



TOP LOCK SLATS 75% Coverage- 10 lineal feet

48" Height	ALL	9.0 lbs	48 TLS *
60" Height	ALL	11.0 lbs	60 TLS *
72" Height	ALL	13.0 lbs	72 TLS *
96" Height	WHITE	17.0 lbs	96 TLS W

Stock Colours:

* **G**-GREEN/ **W**-WHITE/ **B**-BROWN/ **BL**-BLACK/ **BG**-BEIGE/ **GY**-GREY

* 25-year pro-rata warranty



LITE LINK SLATS 75% Coverage – 10 lineal feet

48" Height	ALL	10.0 lbs	48 LL *
60" Height	ALL	12.0 lbs	60 LL *
72" Height	ALL	14.0 lbs	72 LL *

Stock Colours:

* **G**-GREEN/ **W**-WHITE/ **B**-BROWN/ **BL**-BLACK/ **BG**-BEIGE/ **GY**-GREY

* 7-year pro-rata warranty





PRIVACY PRODUCTS

VINYL FENCE WEAVE 75% Coverage

	Stock	Weight	Part #
250' Roll – covers 40 square feet	Y	4.0 lbs	40 FW *

Stock Colours:

- * **G**-GREEN/ **W**-WHITE/ **B**-BROWN/ **BL**-BLACK/ **BG**-BEIGE/ **GY**-GREY/ **S**-SILVER
- * **R**-REDWOOD/ **Y**-YELLOW
- * 5-year pro-rata warranty

250' Roll – covers 40 square feet	N	4.0 lbs	40 FW *
-----------------------------------	---	---------	---------

Non-Stock Colours:

- * **DB**-Dark Blue/ **LB**-Light Blue
- * 5-year pro-rata warranty



HEDGELINK

Variable Coverage – 10 lineal feet

48" Height	Y	20.0 lbs	48 HL
60" Height	Y	24.0 lbs	60 HL
72" Height	Y	28.0 lbs	72 HL
96" Height	N	36.0 lbs	96 HL

*Only available in Green



FENCE WEAVE



HEDGE LINK



SAFETY TOP CAP

SAFETY TOP CAP LITE

Stock

Weight


Part #

4" h x 2 1/2" w (80 Lineal Feet)
10 pcs of 8-foot top cap lite,
4-hole punched with 40 Black Zip Ties Included

Y

20.0 lbs

STCLY




SAFETY TOP CAP

5 1/2" h x 2 3/4" w (40 Lineal Feet)
5 pieces of 8-foot top cap. 3-hole punched with
15 hog rings

Y

20.0 lbs

STCY



SAFETY TOP CAP LITE



SAFETY TOP CAP



SECTION I1 Gate Operators	PAGE #
AC Heavy-Duty Industrial Slide Gate Operators – SL595UL AC Heavy-Duty Industrial Slide Gate Operators – SL585UL DC Commercial High Traffic Slide Gate Operators – CSL24UL	1
Residential Swing Gate Operators – LA400 Residential Light Commercial Swing Gate Operators – LA500 Residential Swing Gate Operators – CSW24	2
Residential Swing Gate Operators – LA412 Solar Gate Operators Accessories	3
AC Barrier Arms DC Barrier Arms	4
SECTION I2 Gate Operator Accessories	
Liftmaster In Stock Remotes, Keypads and Accessories	1
Liftmaster In Stock Gate Operator Parts and Accessories	2
Liftmaster myQ	3
In Stock Accessories – Access – Safety – Vehicle Detection – Accessories	4
Access Control – Liftmaster – CDVI – BFT	5
SECTION I3 Specialty Gate Operator	
Slide Gates – SlideDriver 40 – SlideDriver 50VF2/3	1
Crash Rated Barrier Gates – Strong Arm (M30) – Strong Arm (M50)	2
Vertical Pivot Gates	3



LIFTMASTER SLIDE

AC HEAVY-DUTY INDUSTRIAL SLIDE GATE OPERATORS

c/w Reflective Photo Eye & Safety Edge Kit

SL595UL – up to 35' opening, max weight 1700 lbs

	Stock	Weight	Part #
1 HP, 115/230/208 Volts, 1Ø	Y	271	SL595101UL
1 HP, 208/240/460 Volts, 3Ø	Y	271	SL595103UL
1 HP, 575 Volts, 3Ø	Y	271	SL595105UL

Note: 3 phase motors have a 2 HP option



AC HEAVY-DUTY INDUSTRIAL SLIDE GATE OPERATORS

c/w Reflective Photo Eye & Safety Edge Kit

SL585UL – up to 35' opening, max weight 1700 lbs

1 HP, 115/230/208 Volts, 1Ø	N	271	SL585101UL
1 HP, 208/460 Volts, 3Ø	N	271	SL585103UL
1 HP, 575 Volts, 3Ø	N	271	SL585105UL

Note: Motors have a 1/2 HP option



DC COMMERCIAL HIGH TRAFFIC SLIDE GATE OPERATORS

c/w Reflective Photo Eye & Safety Edge Kit

CSL24UL – up to 35' opening, max weight 1500 lbs

24VDC Commercial High Traffic 1/2HP, 115/230 Volts, 1Ø	Y	CSL24UL
Mounting Plate for CSL	Y	MPEL
Mounting Plate for CSL W Welded to 4 1/2"X4' POST	Y	MPEL 412-4





LIFTMASTER SWING

RESIDENTIAL SWING GATE OPERATORS

c/w Reflective Photo Eye & Safety Edge
Kit

Stock Weight Part #

LA400 – up to 16' gate, up to 550 lbs
24VDC, 115/230 Volts, 1Ø or Solar Charge



	Stock	Weight	Part #
Primary Actuator Arm c/w Control Box	Y	--	LA400PKG
Secondary Actuator Arm	Y	--	LA400DCS

RESIDENTIAL LIGHT COMMERCIAL SWING GATE OPERATORS

c/w Reflective Photo Eye & Safety Edge
Kit

LA500 – up to 18' gate, up to 600 lbs
24VDC, 115/230 Volts, 1Ø or Solar Charge



	Stock	Weight	Part #
Primary Actuator Arm c/w Control Box	Y	--	LA500PKG
Secondary Actuator Arm	Y	--	LA500DCS

RESIDENTIAL SWING GATE OPERATORS

c/w Reflective Photo Eye & Safety Edge
Kit

CSW24 - up to 18' gate, up to 600 lbs
24VDC, 115/230 Volts, 1Ø or Solar Charge

	Stock	Weight	Part #
Primary Actuator Arm c/w Control Box	Y	--	CSL24UL
Mounting Plate for CSL	Y	--	MPEL
Mounting Plate for CSL W Welded to 4 1/2"X4' POST	C	--	MPEL 412-4





LIFTMASTER SOLAR SWING

RESIDENTIAL SWING GATE OPERATORS

c/w Reflective Photo Eye & Safety Edge
Kit

Stock Weight Part #

LA412 – up to 16' gate, up to 550 lbs

12VDC, Solar Charging

Primary Actuator Arm c/w Control Box Y -- LA412XL20W

Secondary Actuator Arm Y -- LA412DCS



SOLAR GATE OPERATORS ACCESSORIES

10-Watt 12V Solar Panel Y SP10W12V

20-Watt 12V Solar Panel Y SP20W12V

20 Watt 12-24V 33Ah Solar Kit Y 20W33A

40 Watt 12-24V 33Ah Solar Kit Y 40W33A

Universal Solar Harness 7Ah/33Ah Y K94-37236

Solar Control Box for DC Operators Y XLSOLARCONTUL

7 Ah Battery Y 29-NP712

33 Ah Battery Y A12330SGLPK





LIFTMASTER BARRIER ARMS

AC BARRIER ARMS	Stock	Weight	Part #
Heavy duty parking gate c/w 24' wood wishbone arm and counterweights			
115/208/230 VAC 1Ø	N		BG7905011
208/230/460/575 VAC 3Ø			
Wishbone Arm, 24 ft. white/ black stripes, no counter weights	Y		K65-1208



AC BARRIER ARMS c/w Battery backup			
Mega Arm Tower for 12' to 17' Arms			
120/220 VAC 1Ø	Y	150 lbs	MATDCBB3
Optional 17 Arm c/w Reflective Tape	Y		MA116RDOT
	Y		MA117
Optional 12 Arm c/w LED Strip	Y		MALED12
Optional 17 Arm c/w LED Strip	N		MALED17
	N		MALED17





LIFTMASTER ACCESSORIES

Liftmaster In Stock Remotes, Keypads and Accessories	MHz	'93- Present DIP-Capable	1993 - 1995 Billion Code	1996 - 2005 Security +	2006-2014 Security +	2012+ Security+ 2.0	Part #
			390	390	315	310 315 390	
3 Button Mini Transmitter			✓	✓	✓	✓	890MAX
1 Button Transmitter						✓	891LM
2 Button Transmitter		✓		✓	✓	✓	892LT
3 Button Transmitter			✓	✓	✓	✓	893MAX
4 Button Transmitter		✓		✓	✓	✓	894LT
Internet Gateway						✓	828LM
2 Button Trans Universal Keychain			✓	✓	✓	✓	374UT
2 Button Trans Universal Visor		✓	✓	✓	✓	✓	375UT
1 Button Transmitter					✓		371LM
3 Button Transmitter					✓		373LM
1 Code Wireless Keypad			✓	✓	✓	✓	877MAX
5 Code Wireless Keypad						✓	KPW5
250 Code Wireless Keypad				✓	✓	✓	KPW250
90 Code - 3 Channel Receiver						✓	850LM
1000 Code Programmable Receiver						✓	STAR1000
31 Code - 1 Channel Receiver					✓		312HMC
2000 Code Keypad/Card Reader (Needs transformer for AC)							KPR2000





LIFTMASTER ACCESSORIES

Liftmaster In Stock Gate Operator Parts and Accessories

Stock

Part #

Safety

Monitored Through Beam Photo Eye – 90 ft	LMTBUL
Monitored Retro-Reflective Photo Eye – 50 ft	LMRRUL
4" Reflector Shroud c/w 4" Reflector	PFRS4-KIT
10" Reflector Shroud c/w 4 ea. of 4" Reflectors	PFRS10-KIT
4" Square Reflector Polarized	41-16690



Parts

25' Package of Nickel-Plated Chain #50	19-3025
Hardware Kit for All SL58X/SL59X	K77-34846
3 Button Station for Exterior Polycarbonate	02403PH



Vehicle Detection

Card Style Loop	LOOTDETLM
Card Style Loop (2015)	K71-416-7NH



Accessories

Heater for Most UL325 Operators	HTR
Heater for 460V UL325 Operators	HTR-460
Heater for Mega Arm	UN201





LIFTMASTER ACCESSORIES

Liftmaster myQ®	Stock	Part #
myQ® Home Bridge	Y	819LM
myQ® Smart Garage Hub	Y	821LM
myQ® Smart Garage Door Sensor	Y	G821LMB
myQ® Remote Light Switch	Y	823LM
myQ® Remote Light Control	Y	825LM
myQ® Remote Led Light	Y	827LM
myQ® Internet Gateway	Y	828LM
myQ® Door and Gate Monitor	Y	829LM
myQ® Control Panel	Y	888LM
Retrofit Package		
Upgrade for Device (1998)	N	MYQPCK





ACCESSORIES

In Stock Accessories

Stock

Part #

Access

Linear 480 Code Stand Alone Keypad	Y	AK-11
Linear Multicode Single Button Remote 315 MHz	Y	MC3089



Safety

EMX IR Photo Eye Sensor – Thru Beam 115 ft	Y	IRB-4X
EMX IR Photo Eye Sensor – Thru Beam 65 ft	Y	IRB UL-325
EMX Retroreflective Photo Eye – 50 ft	Y	NIR-50



Vehicle Detection

EMX Driveway Sensor Probe	Y	VMD202-100
EMX Multi-Voltage Loop Detector	Y	DTEK-MVP
BEA Falcon XL Sensor (Motion)	Y	10FALCONXL
BEA Falcon Remote	Y	BEA R



Accessories

EMX Digital Timer	Y	ETM-17-24
Magnetic Lock, 1200 lbs, 12-24 VDC	Y	CM1200WP
LZ Hardware Kit for Mag Lock	Y	LZ1200WP
Solenoid Magalock Fail Secure	Y	GL1-FL
Magalock Slide Mounting Kit/Strike	Y	FMK-SL





ACCESS CONTROL

Access Control	Stock	Part #
LiftMaster		
2 Door Access Portal – Cloud Based	Y	CAP2D
4G LTE Modem w/Wi-Fi	Y	CAPCELL
2-4 Door High Capacity Portal – Cloud Based	N	CAPXL
- On-board embedded web server - Up to 50,000 local resident capacity - Free Management software - Wireless link up to 8 LiftMaster Operators		



CDVI

2 Door Access Portal – LAN Based (Cloud Option)	N	A22KITB
Standard Clamshell Card	N	CS
Printable Clamshell Card	N	ISO
Key Tag	N	KTAG
- On-board embedded web server - Up to 10,000 users, 10000 cards - Free management software		



BFT

Multicom	N	MULTICOM500B
Wi-Fi-BFT-KPADII (Stand-alone Cellular/Wi-Fi based)	N	KPAD-II
Wi-Fi Video Monitor 10" Touch Screen	N	TSV-10
Cell Box Prime (Stand-alone Cellular based)	N	BOX-PRIME
Cell Switch Prime (Stand-alone Cellular based)	N	SWITCH-PRIME
Wi-Fi Antenna for BFT	N	WIFIA-7
Wi-Fi Antenna 10' Extension Cable	N	SMA-CABLE-10



Slide Gates

Part

SlideDriver 40

- 4,000 lbs gates of any length at 1 ft/s
- Continuous duty
- 1 hp Hydraulic

Power options

- 115/208/230V 1Ø
- 208/230/460/575V 3Ø

Communications

- RS-232, RS-485; Ethernet/fiber using optional HyNet™ Gateway

222 E ST



SlideDriver 50VF2/3

- 5,000 lbs gates of any length at 1 ft/s
- Continuous duty
- 2 hp Hydraulic


Power options

- 208/230V 1Ø
- 208/230/460V 3Ø

Communications

- RS-232, RS-485; Ethernet/fiber using optional HyNet™ Gateway

222 X3 ST



HY-SECURITY

Crash Rated Barrier gates

Part #

Strong Arm (M30)

- **Crash certified to ASTM F2656-07 M30 P1.**
Penetrated less than 1 meter
- Stops 15,000 lbs at 30 m.p.h.
- **Open/close 6-8 seconds** (length of arm)
- Dual arm design prevents a large truck or a small passenger vehicle from breaching the security perimeter
- 12' – 24' opening (2' increments)

M30



Strong Arm (M50)

- **Crash certified to ASTM F2656-07 M50**
- P2. Penetrated less than 1.3 meter
- Stops 15,000 lbs at 50 m.p.h.
- **Open/close 6-8 seconds (length of arm)**
- Dual arm design prevents a large truck or a small passenger vehicle from breaching the security perimeter
- 12' – 24' opening (2' increments)

M50


Strong Arm (M30) & (M50)

Power options

- 208/230V 1Ø - 20 Amp
- 208/230V 3Ø - 20 Amp
- 380/480V 3Ø - 15 Amp

Or

Manual option available with hand crank





Vertical Pivot Gates

300 Chain-link Vertical Gate


- 10-12 second Open/Close speed (14-16 seconds for oversized Gates)
- Security Breach Monitoring
- Fire and emergency access control inputs
- Double Reduction / High torque belt drive system
- Gate Limit / Position Sensor
- Programmable dual gate or sequenced gate integration
- Smart battery charging system

Gate Lengths:

- 10' - 20' opening
- 2" Steel (.120) tubing
- 3/4" Sq. 18 Ga. galvanized steel pickets
- 20' - 25' opening
- 2 1/2" Sq., 7 Ga. (.187) aluminum tubing
- 3/4" Sq. 1/8" wall aluminum pickets

Power Options:

- 120 V 1Ø 20 Amp Service
- 240 V 1Ø 10 Amp Service
- Solar controller built into Genesis system board





SECTION J1 Ameristar Ornamental	PAGE #
Montage Majestic – Pickets: .625”sq x 18ga – Rails: .9375” x 1.25” x 14ga	1
Majestic Single Swing Gates – 4’ H – 5’ H – 6’ H	2
Majestic Double Swing Gates – 4’ H – 5’ H – 6’ H	3
Montage Genesis – Pickets: .625”sq x 18ga – Rails: .9375” x 1.25” x 14ga	4
Genesis Single Swing Gates – 4’ H – 5’ H – 6’ H	5
Genesis Double Swing Gates – 4’ H – 5’ H – 6’ H	6
Posts c/w Caps Fence Fittings	7
Gate Hardware	8
Ameristar Montage Fence Spec.	9
Transport II – 4’ to 8’ High x 6’ to 30’ Openings Transport Estate – 4’ to 7’ High x 10’ to 16’ Openings	10
Ameristar Transport Slide Gate Product Description	11
Transport Slide Gate – 4’ H – 5’ H – 6’ H	12
Ameristar Cantilever Gates Single Slide – 4’ H – 5’ H – 6’ H – 7’ H	13




AMERISTAR MONTAGE MAJESTIC

Montage Majestic

Pickets: .625"sq x 18ga
Rails: .9375" x 1.25" x 14ga


	Stock	Weight	Panels/ Pallet	Part #
3' x 94 1/2"	Y	35 lbs	40	RGB334
4' x 94 1/2"	Y	42 lbs	40	RGB334
5' x 94 1/2"	Y	49 lbs	40	RGB334
6' x 94 1/2"	Y	55 lbs	40	RGB334





AMERISTAR MONTAGE MAJESTIC


Majestic Single Swing Gates		Stock	Pickets	Weight	Part #
4' H	38 1/2"	Y	7	25 lbs	WMB346-42M
	47"	Y	9	28 lbs	WMB346-48M
	64 1/2"	Y	13	38 lbs	WMB346-60M
	73"	Y	15	40 lbs	WMB346-72M
	98 1/2"	Y	21	52 lbs	WMB346-96M
5' H	38 1/2"	Y	7	30 lbs	WMB358-42M
	47"	Y	9	33 lbs	WMB358-48M
	64 1/2"	Y	13	44 lbs	WMB358-60M
	73"	Y	15	47 lbs	WMB358-72M
	98 1/2"	Y	21	61 lbs	WMB358-96M
6' H	38 1/2"	Y	7	35 lbs	WMB370-42M
	47"	Y	9	38 lbs	WMB370-48M
	64 1/2"	Y	13	50 lbs	WMB370-60M
	73"	Y	15	54 lbs	WMB370-72M
	98 1/2"	Y	21	70 lbs	WMB370-96M





AMERISTAR MONTAGE MAJESTIC

Majestic Double Swing Gates		Stock	Pickets	Weight	Part #
4' H	76"	Y	14	50 lbs	WMB346-42MX2
	93"	Y	18	56 lbs	WMB346-48MX2
	128"	Y	26	76 lbs	WMB346-60MX2
	145"	Y	30	80 lbs	WMB346-72MX2
	196"	Y	42	104 lbs	WMB346-96MX2
5' H	76"	Y	14	60 lbs	WMB358-42MX2
	93"	Y	18	66 lbs	WMB358-48MX2
	128"	Y	26	88 lbs	WMB358-60MX2
	145"	Y	30	94 lbs	WMB358-72MX2
	196"	Y	42	122 lbs	WMB358-96MX2
6' H	76"	Y	14	70 lbs	WMB370-42MX2
	93"	Y	18	76 lbs	WMB370-48MX2
	128"	Y	26	100 lbs	WMB370-60MX2
	145"	Y	30	108 lbs	WMB370-72MX2
	196"	Y	42	140 lbs	WMB370-96MX2






AMERISTAR MONTAGE GENESIS

Montage Genesis

Pickets: .625"sq x 18ga
Rails: .9375" x 1.25" x 14ga


	Stock	Weight	Panels/ Pallet	Part #
3' x 94 1/2"	Y	35 lbs	40	RGB334
4' x 94 1/2"	Y	42 lbs	40	RGB334
5' x 94 1/2"	Y	49 lbs	40	RGB334
6' x 94 1/2"	Y	55 lbs	40	RGB334





AMERISTAR GENESIS


Genesis Single Swing Gates		Stock	Pickets	Weight	Part #
4' H	38 1/2"	Y	7	25 lbs	WGB346-42M
	47"	Y	9	28 lbs	WGB346-48M
	64 1/2"	Y	13	38 lbs	WGB346-60M
	73"	Y	15	40 lbs	WGB346-72M
	98 1/2"	Y	21	52 lbs	WGB346-96M
5' H	38 1/2"	Y	7	30 lbs	WGB358-42M
	47"	Y	9	33 lbs	WGB358-48M
	64 1/2"	Y	13	44 lbs	WGB358-60M
	73"	Y	15	47 lbs	WGB358-72M
	98 1/2"	Y	21	61 lbs	WGB358-96M
6' H	38 1/2"	Y	7	35 lbs	WGB370-42M
	47"	Y	9	38 lbs	WGB370-48M
	64 1/2"	Y	13	50 lbs	WGB370-60M
	73"	Y	15	54 lbs	WGB370-72M
	98 1/2"	Y	21	70 lbs	WGB370-96M





AMERISTAR GENESIS

Genesis Double Swing Gates		Stock	Pickets	Weight	Part #
4' H	76"	Y	14	50 lbs	WGB346-42MX2
	93"	Y	18	56 lbs	WGB346-48MX2
	128"	Y	26	76 lbs	WGB346-60MX2
	145"	Y	30	80 lbs	WGB346-72MX2
	196"	Y	42	104 lbs	WGB346-96MX2
5' H	76"	Y	14	60 lbs	WGB358-42MX2
	93"	Y	18	66 lbs	WGB358-48MX2
	128"	Y	26	88 lbs	WGB358-60MX2
	145"	Y	30	94 lbs	WGB358-72MX2
	196"	Y	42	122 lbs	WGB358-96MX2
6' H	76"	Y	14	70 lbs	WGB370-42MX2
	93"	Y	18	76 lbs	WGB370-48MX2
	128"	Y	26	100 lbs	WGB370-60MX2
	145"	Y	30	108 lbs	WGB370-72MX2
	196"	Y	42	140 lbs	WGB370-96MX2





AMERISTAR POSTS AND FITTINGS

POSTS c/w CAPS	Stock	Weight	Part #
2" x 2" Square x 6' 9" -- 16 ga		11.9 lbs	WPB20081
2" x 2" Square x 7' 9" -- 16 ga		13.5 lbs	WPB20093
2" x 2" Square x 8' 9" -- 16 ga		40.0 lbs	WPB20105
2" x 2" Square x 6' 3" -- 16 ga c/w BP		12.0 lbs	ETFPS63BL
2 1/2" x 2 1/2" Square x 9' -- 16 ga		18.0 lbs	WPB25108
3" x 3" Square x 9' -- 12 gal		33.0 lbs	PB30108
4" x 4" Square x 10' -- 11 ga		67.0 lbs	PB40120
Post Base (for base plating) for 2" post		2.2 lbs	BB205

Fence Fittings

2" Universal Bracket (2 per bag)	.27 lbs	BB102
2" Line Bracket (2 per bag)	.47 lbs	BB104
Flat Mount Bracket (2 per bag)	.75 lbs	BB105
Swivel Bracket (2 per bag)	.86 lbs	BB106
Corona Rings 11 per panel Press Steel	.35 lbs	AB103
Double Rings 11 per panel Cast Aluminum	.70 lbs	AB102
Quad Flare for Genesis 21 per panel	.15 lbs	AB301
Black Touch-up Paint	1.1 lbs	FB100



AMERISTAR HARDWARE


GATE HARDWARE	Stock	Weight	Part #
Lockable D & D Lokk Latch - Horizontally & Vertically Adjustable - Push button external access kit - Gap: ideal $\frac{3}{4}$", variance $\frac{3}{8}$" – $1\frac{3}{8}$"	Y	.68 lbs	LLAAB
Self-Closing D & D Hinge Pair - Horizontally & Vertically Adjustable - Gap: ideal $1\frac{1}{4}$", variance $\frac{3}{4}$" – $1\frac{1}{2}$" - For use on 38$\frac{1}{2}$", 47" & 73" Single Swing Gates & 76", 93" & 145" Double Swing Gates	Y	1.2 lbs	TCAMA2
Heavy Duty Adjustable Steel Hinge Pair - Gap: ideal 1", variance $\frac{1}{2}$" – $1\frac{5}{8}$" - For use on 98 $\frac{1}{2}$" Single Swing Gates & 196" Double Swing Gates	Y	2.0 lbs	MRH180R
Pintle Plate 5/8" Pin surface mounted hinge	Y	.3 lbs	HB108
Plate Latch for surface mounted fork latch	Y	.6 lbs	HB305
1 $\frac{1}{4}$" Fork Latch	Y	.34 lbs	HB401
1 $\frac{1}{4}$" Frame Hinge Pair	Y	.60 lbs	HB404
48" Cane Bolt	Y	5.0 lbs	HB316






AMERISTAR MONTAGE


CLASSIC



GENESIS



MAJESTIC



Montage Plus (3' to 6' High) & Montage Commercial (7' & 8' High) are the industry standard for commercial and industrial ornamental fence applications including such facilities as municipal, governmental, schools, recreational, institutional, office, retail, healthcare, storage, water treatment, airports, petroleum, chemical, manufacturing etc. Fence panels and gates are available in three standard styles (Majestic, Genesis & Classic) with a two or three rail construction.

Montage fusion welded steel fence panels provide the ultimate in strength and security with the distinctive look of a traditional wrought-iron fence. Maintenance-free E-Coat paint process provides superior corrosion protection in virtually any climate and it is backed by a 20-year warranty against corrosion.

Specially formed architectural metal fence components are joined to form panels that are bias able (rakeable) up to 48", allowing this ornamental picket fence to follow any grade or slope on which it is to be installed.

System	Height	Pickets	Rails	Posts
Montage Plus	3' high to 6' high	3/4" x 18 gauge	1 7/16" x 1 1/2" x 91 15/16" x 14 gauge	2 1/2" Sq. x 16 gauge
Montage Commercial	7' high and 8' high	3/4" x 14 gauge		2 1/2" Sq. x 14 gauge

Customized aesthetics:

- Optional Quad Flares Finials for accenting Genesis exposed, through style, top pickets
- Optional Double Ring Adornment for accenting of three rail Majestic, Genesis or Classic

Gate styles and sizes available:

- Standard Single Swing: 3' to 8' High x 4' to 16' Opening
- Standard Double Swing: 3' to 8' High x 8' to 32' Opening
- Arched Single Swing: 3' to 7' High x 4' to 12' Opening
- Arched Double Swing: 3' to 7' High x 8' to 24' Opening
- TransPort II Slide Cantilever Gates: 4' to 7' High x 6' to 30' Opening
- TransPort Estate Arched Slide Cantilever Gates: 4' to 7' High x 10' to 16' Opening



Please allow for 3-4 weeks delivery.



AMERISTAR MONTAGE

"TRANSPORT II" (4' to 8' High x 6' to 30' Openings)

MAJESTIC - CLOSED TOP PICKET



GENESIS - EXPOSED SQUARE TOP PICKET



CLASSIC - EXPOSED SPEAR TOP PICKET



"TRANSPORT ESTATE" (4' to 7' High x 10' to 16' Openings)



MAJESTIC
CLOSED TOP PICKET



MAJESTIC
CLOSED TOP PICKET




CLASSIC
EXPOSED SPEAR TOP
PICKET




AMERISTAR TRANSPORT SLIDE GATES

PRODUCT DESCRIPTION

- Aluminum construction for superior strength, rigidity & low overall weight
- Compliments Phoenix stock Ameristar Montage Majestic & Genesis Ornamental Fence System
- Black polyester powder coat finish for long term beauty and corrosion resistance
- Top and bottom track system supported by heavy duty "truck roller assemblies" for smooth, easy & safe operation with no exposed pinch points
- Frame designed symmetrically for reversibility (left- or right-hand opening)
- All components shipped on sturdy pallets for convenient handling and damage free shipping
- Fast and simple assembly with all framework components pre-cut & drilled for easy bolting connections (Step by Step Assembly Instructions)
- Ideal for use with automatic electric gate operator installations (Section J)
- FOB Phoenix Fence Edmonton or Calgary 14-18 days from time of order
- Call your Phoenix representative for pricing and technical assistance



Values shown are nominal and not to be used for installation purposes. See product specification for installation requirements.



Specifications: All Aluminum Construction with Black Polyester Powder Coat Finish
Uprights and Diagonal Braces: 2" Square x 1/4" Wall

"Transport II" Pickets: 1" Square x 1/8" Wall

"Transport Estate" Pickets: 3/4" Square x 1/8" Wall

Top and Bottom Support Track System: Heavy Weight Proprietary "Fast-Track" Aluminum Extrusion with Internal Roller Assemblies

Cantilever gate hardware kit: Four Heavy Duty Truck Roller Assemblies & U-Brackets, Four Gate Stops and V Bracket

Support Posts: 2 @ 4" Square x 11 Gauge Wall and Receiver/V-Bracket Post: 2 @ 3" Square x 16Gauge

Detailed Shop drawings available for all styles and sizes



AMERISTAR TRANSPORT SLIDE GATES

	Single Slide	Stock	Weight	Part #
4' H	120" Open (10')		272 lbs	2TMB04810S
	144" Open (12')		324 lbs	2TMB04812S
	192" Open (16')		418 lbs	2TMB04816S
	216" Open (18')		446 lbs	2TMB04818S
	240" Open (20')		548 lbs	2TMB04820S
	288" Open (24')		623 lbs	2TMB04824S
	324" Open (27')		735 lbs	2TMB04827S
	360" Open (30')		782 lbs	2TMB04830S
5' H	120" Open (10')		452 lbs	2TMB06016S
	144" Open (12')		503 lbs	2TMB06018S
	192" Open (16')		452 lbs	2TMB06016S
	216" Open (18')		503 lbs	2TMB06018S
	240" Open (20')		595 lbs	2TMB06020S
	288" Open (24')		674 lbs	2TMB06024S
	324" Open (27')		796 lbs	2TMB06027S
	360" Open (30')		847 lbs	2TMB06030S
6' H	120" Open (10')		313 lbs	2TMB07210S
	144" Open (12')		384 lbs	2TMB07212S
	192" Open (16')		487 lbs	2TMB07216S
	216" Open (18')		540 lbs	2TMB07218S
	240" Open (20')		643 lbs	2TMB07220S
	288" Open (24')		725 lbs	2TMB07224S
	324" Open (27')		860 lbs	2TMB07227S
	360" Open (30')		912 lbs	2TMB07230S



Cantilever Gates Single Slide		Weight	Part #
4' - 5'H	120" Open (10') up to 144" Open (12')	422 lbs	EC54144
	144" Open (12') up to 168" Open (14')	495 lbs	EC54168
	168" Open (14') up to 192" Open (16')	550 lbs	EC54192
5' - 6' H	120" Open (10') up to 144" Open (12')	456 lbs	EC55144
	144" Open (12') up to 168" Open (14')	533 lbs	EC55168
	168" Open (14') up to 192" Open (16')	590 lbs	EC55192
6' - 7' H	120" Open (10') up to 144" Open (12')	482 lbs	EC56144
	144" Open (12') up to 168" Open (14')	572 lbs	EC56168
	168" Open (14') up to 192" Open (16')	630 lbs	EC56192

= FENCE STYLES AVAILABLE | C = Classic M = Majestic G = Genesis

= COLOR OPTIONS AVAILABLE | B = Black N = Bronze W = White S = Sand



MAJESTIC - CLOSED TOP PICKET



GENESIS - EXPOSED SQUARE TOP PICKET



CLASSIC - EXPOSED SPEAR TOP PICKET



SECTION K1 Professional Series Vinyl

PAGE

Vinyl Fence Sentry Full Privacy – 4' 5' 6' or 8' High x 6' or 8' Wide	1
Sentry Single Swing Gate – 4' 5' 6' or 8' High	2
Sentry Double Swing Gate – 4' 5' 6' or 8' High	3
Vinyl fence Estate Privacy + Picket – 5' or 6' High x 6' or 8' Wide	4
Estate Single Swing Gate – 5' or 6' High	5
Estate Double Swing Gate – 5' or 6' High	6
Vinyl Fence Manor Privacy + Lattice – 5' or 6' High x 6' or 8' Wide	7
Manor Single Swing Gate – 5' or 6' High	8
Manor Double Swing Gate – 5' or 6' High	9
Vinyl Fence Semi-Privacy – 4' 5' 6' High x 6' or 8' Wide	10
Semi-Privacy Single Swing Gate – 4' 5' or 6' High	11
Semi-Privacy Double Swing Gate – 4' 5' 6' or 8' High	12



SECTION K1 Vinyl

PAGE

Vinyl Fence Three Rail Ranch – 4' High x 8' Wide	13
--	----

Rail Ranch Single Swing Gate – 4' High	14
--	----

Rail Ranch Double Swing Gate – 4' High	15
--	----

Vinyl Fence Colonial Flat Picket – 3' or 4' High x 6' Wide	16
--	----

Colonial Single Swing Gate – 3' or 4' High	17
--	----

Colonial Double Swing Gate – 4' High	18
--------------------------------------	----

Pro Series Gate Hardware Reinforcing Inserts, Hinge Posts, Bottom Rail & Gate Frames	19
---	----

Pro Series Hardware Accessories	20
---------------------------------	----

SECTION K2 Vinyl Handrail

Vinyl Hand Railing Reliant & Sentinel Specifications	1
--	---

Reliant Hand Rail Panel – includes rails, pickets and hardware	2
--	---


Sentinel Hand Rail Panel – includes rails, pickets and hardware	3
---	---

Vinyl Hand Rail Accessories	4
-----------------------------	---



VINYL FENCE SENTRY FULL PRIVACY

4' 5' 6' or 8' High x 6' or 8' Wide
(Post Mount Installation)



Solid Colours: White, Almond (Tan), Clay (Adobe), Stone

- Picket width 11 1/3"


Wood Grain Variegated: Mocha Walnut & Green Teak

- Picket width 6"

Single & Double Swing Gates Available

8' WIDE FENCE PANELS INCLUDE A STEEL REINFORCE
BOTTOM POCKET RAIL

8' HIGH FENCE INCLUDE A THIRD MIDDLE RAIL






PHOENIX FENCE Corp.

VINYL FENCE
SENTRY FULL PRIVACY

Single Swing Gate 4' 5' 6' or 8' High




Solid Colours: White, Almond (Tan), Clay (Adobe), Stone
Wood Grain Variegated: Mocha Walnut & Green Teak

Opening Sizes: Up to 84" wide single swing

VINYL FENCE
SENTRY FULL PRIVACY

Double Swing Gate

4' 5' 6' or 8' HIGH




Solid Colours: White, Almond (Tan), Clay (Adobe), Stone
Wood Grain Variegated: Mocha Walnut & Green Teak

Opening Sizes: Up to 168" wide double swing



VINYL FENCE ESTATE PRIVACY + PICKET


5' or 6' HIGH X 6' or 8' WIDE (Post Mount Installation)



Solid Colours: White, Almond (Tan)
- Picket width 11 1/3"

Single & Double Swing Gates Available


8' WIDE FENCE PANELS INCLUDE A STEEL REINFORCE
BOTTOM POCKET RAIL





VINYL FENCE ESTATE PRIVACY + PICKET

Single Swing Gate 5' or 6' High




Solid Colours: White, Almond (Tan)

Opening Sizes: Up to 84" wide single swing



VINYL FENCE
ESTATE PRIVACY + PICKET

Double Swing Gate
5' or 6' HIGH




Solid Colours: White, Almond (Tan)

Opening Sizes: Up to 168" wide double swing



VINYL FENCE MANOR PRIVACY + LATTICE


5' or 6' HIGH X 6' or 8' WIDE
(Post Mount Installation)



Solid Colours: White, Almond (Tan)
- Picket width 11 1/3"

Single & Double Swing Gates Available

8' WIDE FENCE PANELS INCLUDE A STEEL REINFORCE
BOTTOM POCKET RAIL






PHOENIX FENCE Corp.

VINYL FENCE
MANOR PRIVACY + LATTICE

Single Swing Gate
5' or 6' High




Solid Colours: White, Almond (Tan)

Opening Sizes: Up to 84" wide single swing



VINYL FENCE
MANOR PRIVACY + LATTICE

Double Swing Gate
5' or 6' HIGH




Solid Colours: White, Almond (Tan)

Opening Sizes: Up to 168" wide double swing



VINYL FENCE SEMI-PRIVACY

4' 5' 6' High x 6' or 8' Wide
(Post Mount Installation)




Solid Colours: White

- Picket width 6"


Single & Double Swing Gates Available

8' WIDE FENCE PANELS INCLUDE A STEEL REINFORCE
BOTTOM POCKET RAIL






Single Swing Gate 4' 5' or 6' High




Solid Colours: White

Opening Sizes: Up to 60" wide single swing





Double Swing Gate
4' 5' or 6' HIGH



Solid Colours: White


Opening Sizes: Up to 120" wide double swing



PHOENIX FENCE Corp.


VINYL FENCE THREE RAIL RANCH

4' High x 8' Wide
(Post Mount Installation)



Solid Colours: White


Single & Double Swing Gates Available






VINYL FENCE THREE RAIL RANCH

Single Swing Gate 4' High



Solid Colours: White


Opening Sizes: Up to 60" wide single swing





VINYL FENCE
TREE RAIL RANCH

Double Swing Gate
4' HIGH



Solid Colours: White


Opening Sizes: Up to 120" wide double swing



PHOENIX FENCE Corp.


VINYL FENCE
COLONIAL FLAT PICKET

3' or 4' High x 6' Wide
(Post Mount Installation)



Solid Colours: White


Single & Double Swing Gates Available






VINYL FENCE COLONIAL FLAT PICKET

Single Swing Gate 3' or 4' High




Solid Colours: White

Opening Sizes: Up to 60" wide single swing



VINYL FENCE
COLONIAL FLAT PICKET

Double Swing Gate 4' HIGH



Solid Colours: White

Opening Sizes: Up to 120" wide double swing



VINYL HARDWARE ACCESSORIES

Pro Series Gate Hardware	Stock	Weight	Part #	
Single Swing Steel Hinge Pair - Self-Closing, w/Tension Adjustment, Horizontally Adjustable Gap 0.40" to 1.5"	10 Pair	1.5 lbs	SV171-BK SV171-WH	
Single Swing Steel Hinge Pair Non-Self-Closing Heavy Duty, Horizontally Adjustable Gap 0.34" to 2.5"	10 Pair	3.9 lbs	NW6159-SSB	
Steel Gate Post Latch Pad Lockable Both Side	20	1.8 lbs	SV38308NVA-BK SV38308NVA-WH	
Steel Double Swing Gravity Gate Latch, Pad Lockable One Side (Standard)	40	0.8 lbs	SV6068A-BK SV6068A-WH	
Heavy Duty Steel Double Swing Flip Latch, Pad Lockable on Side w/ through bolt hardware	10	2.3 lbs	NW6169-SSB	
36" Steel Drop Rod w/ Dual Guides & Mount Screws	10	3.9 lbs	NW38305N-BK NW38305N-WH	
Nylon Gate Handle w/ Bumper Stop	50	0.5 lbs	NW6143S-BK NW6143S-WH	
Reinforcing Inserts Hinge Posts, Bottom Rail and Gate Frames				
L Shape Post Insert 5' x 5' x 108"		20 lbs	F-PI108L	
C Shape Post Insert 5' x 5' x 108"		20 lbs	F-PI108C	
Pocket Rail Insert 1.5" x 5.5" x 93" Bottom Rail		2 lbs	F-RI1.5X5.5x93	
Pocket Rail Insert 1.5" x 5.5" x 93" Gate Horizontal		6 lbs	F-GRI1.5X5.5x93	
Webbed T-Rail 2" x 3.5" x 96" Handrail		14 lbs	F-RI2X3.5X96	
Open Rail Reinforcing 2" x 3.5" x 70.5" Gate Uprights		7 lbs	F-GI2X3.5X70.5	



VINYL HARDWARE ACCESSORIES

Pro Series

White = W
Stone = S
Mocha Walnut = MW

Almond = A
Clay = C
Green Teak = GT

Colour
Selection

Weight

Part #

5" Pyramid External Post Cap	W A S C MW GT	0.24	F-PC-5PE-Y
5" New England Post Cap	W A S C	0.80	F-PC-5NE-Y
5" Gothic Post Cap	W A S C	1.02	F-PC-5G-Y
5" Cambridge Solar Light	W	1.80	F-LZN55
4" Pyramid External Post Cap	W	.017	F-PC-4PE-Y
4" New England Post Cap	W	0.55	F-PC-4NE-Y
4" Gothic Post Cap	W	1.00	F-PC-4G-W
4" Cambridge Solar Light	W	1.21	F-LZN44
7/8" x 3" Dog Ear Picket Cap	W	0.06	F-PC783DE-W
2" x 3.5" Flat Internal End Cap	W A S C MW GT	0.06	F-RC2X3.5- Y
1.5" x 5.5" Rail Mount Internal	W	0.16	F-RM1.5X5.5 INT-W
1.5" x 5.5" Rail Mount External	W	0.16	F-RM1.5X5.5 EXT-W
2" x 3.5" Rail Mount Internal	W	0.12	F-RM2X3.5-W
Lattice 12" x 96"	W A	5.0	F-LATT 1 x 8- Y
Lattice 48" x 96"	W A	20.0	F-LATT 4 x 8- Y
PVC Glue 8 oz LRG	W	0.625	F-PVCGLUE-LG
PVC Glue 1.5 oz SM	W	0.125	F-PVCGLUE-SM
3/16" Pop Rivet	W A C	0.068	F-POPY
1-7/8" x 5" - 1 pc (Standard)	Black	0.40	PS2C5D178
1 7/8" x 5" - 2 pc (Optional)	Black	0.40	PS2C5D1782
2-3/8" x 5" - 1 pc (Standard)	Black	0.40	PS2C5D238



VINYL HAND RAILING RELIANT - SENTINAL

Specifically engineered to be the perfect combination of beauty and brawn, Phoenix Vinyl Railing Systems are among the most innovative railing products available. Each pre-packaged kit contains all of the components necessary to create attractive railing sections that never lose their aesthetic appeal. This system will add value, look great and last a lifetime.



Available in stock:
White

RELIANT



Available in stock:
White

SENTINEL

THE PHOENIX RAILING SYSTEM ADVANTAGE

- Easy-to-install kits
- Virtually maintenance free—impervious to moisture, rotting, warping and termites
- Environmentally safe
- Structurally designed for code compliance (ICC)
- Limited lifetime warranty
- Superior strength and durability provide long-lasting value and performance
- No splinters, staining or painting—EVER!

QUALITY YOU CAN COUNT ON


Each Phoenix Vinyl Railing System undergoes rigorous testing to ensure its aesthetic appeal and lasting structural integrity. Products are tested for both weathering and structural performance.

DIY Installation Manual is available at www.phoenixfence.ca




RELIANT VINYL RAILING

Reliant Hand Rail Panel includes rails, pickets and hardware		Weight
1.5" x 1.5" Balusters	42" High x 72" Hand Rail	34.5 lbs
	42" High x 96" Hand Rail	39.6 lbs
	42" High x 96" Stair Rail	39.6 lbs



Post skirts shown are not included


Rail kit includes the following components	
Top Rail – 2" x 3 1/2" Webbed with pre-routed holes	1
Bottom Rail – 2" x 3 1/2" Webbed with pre-routed holes	1
Baluster Styles 1 1/2" Square	18
2" x 3 1/2" Straight or Stair Brackets	4
Galvanized Steel Reinforcing for top rail	1
1 1/4" Stainless Steel Screws for Brackets	20






SENTINEL VINYL RAILING

Sentinel Hand Rail Panel includes rails, pickets and hardware		Weight
1.5" x 1.5" Balusters	42" High x 72" Hand Rail	34.9 lbs
	42" High x 96" Hand Rail	40.0 lbs
	42" High x 96" Stair Rail	40.0 lbs



Post skirts shown are not included

Rail kit includes the following components	
Top Rail – Alzar with pre-routed holes	1
Bottom Rail – 2" x 3 1/2" Webbed with pre-routed holes	1
Baluster Styles 1 1/2" Square	18
Alzar Straight or Stair Brackets	4
Galvanized Steel Reinforcing for top rail	1
1 1/4" Stainless Steel Screws for Brackets	20





Vinyl Hand Rail Accessories

Part #

4" x 4" x 42" Hand Rail Post White

F-4-4-42-W

4" x 4" x 48" Stair Rail Post White

F-4-4-48-W

1 7/8" O.D. x 36" Galv Post
w/ 3.5" x 3.5", 4-hole base plate

P178LD3BPV

4" x 1 7/8" Post Socket

F-PSB4-178

Caps

4" New England Post Cap White

F-PC-4NE-W

Skirts

Low Profile Post Skirt White

F-PSLP-W

Top Rails

2" x 3 1/2" x 8' Top Rail White

F-WR2X3.5-96-W

Sentinel Top Rail White 8'

F-AR96-W

Bottom Rails

2" x 3 1/2" x 8' Bottom Rail White

F-WR2X3.5-96-W

Top Support Insert Rail

2" x 3 1/2" X 8' Galvanized Rail Insert

F-RI2X3.5

Brackets – Straight

2" x 3 1/2" Straight Rail Bracket White

F-STR-W

Sentinel Straight Rail Bracket White

F-ASTR-W

Brackets – Stair

2" x 3 1/2" Stair Rail Bracket White

F-STCASE-W

Sentinel Stair Rail Bracket Upper

F-ASTCASE-IJ-W


Sentinel Stair Rail Bracket Lower

F-ASTCASE-I-W

Balusters

1 1/2" x 1 1/2" x 36" Square White

F-P1515-38-W





SECTION L1 **Related Fence**

PAGE #

Safety Fence Heavy Weight – Conventional Diamond Mesh
Warning Barrier Fence – Flat Profile – Oriented
Winter Barrier Fence – Oval Flat Profile – Oriented
Snow/Sand Control Fence – Oval Flat Profile – Oriented
Safety Barricade Fence – c/w integrated Caution Strip

1

Non-Painted Light T-Posts – .93 lbs./ft.
Painted Light Green T-Posts – .93 lbs./ft.
Painted Heavy Green T-Posts – 1.25 lbs./ft.
Painted Light Drilled T-Posts – .93 lbs./ft.

2

Plastic T-Post Safety Top Cap
Vinyl T-Post Safety Top Cap
T-Post Clips – Galvanized
White Zip Ties

3

Rhino Power Driver and Accessories

4

Yellow Bollard Covers – c/w Red Tape

5



SNOW AND SAFETY FENCE

Safety Fence Heavy Weight Conventional Diamond Mesh	Stock	Weight /Roll	Rolls /Pallet	Part #
4' x 50' Orange	Y	10 lbs	40	DLW 450X
4' x 100' Orange	Y	20 lbs	24	DLW 4100X
Warning Barrier Fence Flat Profile - Oriented				
4' x 100' Orange	Y	13 lbs	90	WB 4100X
Winter Barrier Fence Oval Flat Profile - Oriented				
4' x 50' Orange	Y	9 lbs	60	FWB 450X
4' x 100' Orange	Y	18 lbs	60	FWB 4100X
Snow/Sand Control Fence Oval Flat Profile- Oriented				
4' x 50' Orange	Y	14 lbs	60	SF 4850X
4' x 100' Orange	Y	28 lbs	40	SF 48100X
4' x 50' Black	Y	14 lbs	60	SF 4850B
Safety Barricade Fence c/w Integrated Caution Strip				
4' x 50' Orange c/w Orange Caution	Y	40 lbs	40	BFCT504X
4' x 50' Orange c/w Yellow Caution	Y	40 lbs	40	BFCT504XY



DLW or DM



WB



SF





T-POSTS

Non-Painted Light T-Posts .93 lbs/ft		Stock	Weight	Pallet	Part #
6'		Y	5.58 lbs	200	6-090-NP
7'		Y	6.51 lbs	200	7-090-NP
Painted Light Green T-Posts .93 lbs/ft					
6'		Y	5.58 lbs	200	6-090-P
7'		Y	6.51 lbs	200	7-090-P
Painted Heavy Green T-Posts 1.25 lbs/ft					
6'		Y	7.50 lbs	200	6-125-P
7'		Y	8.75 lbs	200	7-125-P
8'		Y	10.0 lbs	200	8-125-P
9'		Y	11.25 lbs	200	9-125-P
10'		Y	12.5 lbs	200	10-125-P
Painted Heavy Green T-Posts 1.25 lbs/ft					
6'		Y	7.5 lbs	200	6-125-PS
7'		Y	8.75 lbs	200	7-125-PS
Painted Light Drilled T-Posts .93 lbs/ft					
6'		Y	5.58 lbs	200	6-110-DP
7'		Y	6.51 lbs	200	7-110-DP
8'		Y	7.44 lbs	200	8-110-DP





T-Post Accessories

Plastic T-Post Safety Top Cap

	Stock	Pcs /Bag	Weight	Part #
Yellow with fence insulator	Y	10	.17 lbs	2027



Vinyl T-Post Safety Top Cap

	Stock	Pcs /Bag	Weight	Part #
White Vinyl	Y	25	.05 lbs	2927



T-Post Clips - Galvanized

	Stock	Pcs /Bag	Weight	Part #
T-POST Clip	Y	100	1.0 lbs	TPC



WHITE ZIPS TIES

	Stock	Pcs /Bag	Weight	Part #
WHITE ZIP TIES	Y	100	1.0 lbs	WPZT





Rhino Power Driver and Accessories	Part #
Rhino® Multi Pro" Gas Powered Driver	301002
Rhino° Chuck-Lok System 2" (50.8mm) Adapter (1 per)	300902
Rhino° Chuck-Lok System 1 3/4" (44.4mm) Adapter (1 per)	300895
Rhino° Chuck-Lok" System 1" (25.4mm) Adapter (1 per)	300900
Rhino° Chuck-Lok Locking Nut (1 per)	301920
Multi Pro Tent Stake Chuck	301155
Multi Pro' Chuck for Square Tube	301171
Multi Pro' Drive cap for 13/4" (44.45mm) O.D. Square Tube	300932
Multi Pro' Drive cap for 2" (50.8mm) O.D. Square Tube	300933
Multi Pro' Drive cap for 2 1/4" (57.15mm) O.D. Square Tube	300934
Multi Pro' Drive cap for 2 1/2" (63.5mm) O.D. Square Tube	300935
1/4" Long Arm Hex Key (1 per)	301000
Rhino° Pro Series Lubricant (2.75 oz tube)	300500
Rhino° Pro Series Lubricant - 12-pack	300506
Multi Pro' Service Kit	301506



301002





BOLLARD COVERS

YELLOW BOLLARD COVERS c/w Red Tape


Length Stock Weight Part #

4" Cover for 4 1/2" O.D.	52"	Y	4 lbs	BC452YR
7" Cover for 6 5/8" O.D.	52"	Y	5 lbs	BC752YR
8" Cover for 8 5/8" O.D.	52"	Y	8 lbs	BC852YR



Features:

- Bollard covers are made from high quality, durable materials, with UV inhibitors for long service life and lasting colour.
- Bollards are easily installed in minutes for effective protection, reduced maintenance, no onsite painting, with an attractive highly visible appearance
- Safety yellow with 2 (two) 1" wide red reflective stripes



Installation:

1. (2) 4' foam pieces.
2. Lay (1) foam strip over top of bollard so that the ends are of equal length.
3. Lay 2nd piece of foam over the first at a 90-degree angle.
(Should look like a "+" when looking down on the bollard).
4. Slide the cover of the bollard and the foam



SECTION M1 Sports Fence

PAGE #

Backstop – No Overhang

1

Backstop – With 4' Overhang

2

Backstop Overhang Piping

3

Tennis Court – Fence Specifications

4






Backstop
No Overhang

Normal sizes in combination of:

A	B	H
10'	10'	10'
15'	15'	12'
20'	20'	16'

By Quotation

- Custom designed backstops
- Complete ballfield fencing
- Material only or professionally installed



Specifications:

1. FABRIC – 2" x 9-gauge galvanized chain link.
2. TERMINAL POSTS – 2 7/8" O.D. Sch 40 galvanized pipe.
3. LINE POSTS – 2 3/8" O.D. Sch 40 galvanized pipe.
4. TOP, CENTER, BOTTOM RAILS.
5. – 1 5/8" O.D. galvanized pipe complete with all fittings and hardware.





Backstop With 4' Overhang

Normal sizes in combination of:

A	B	H
10'	10'	10'
15'	15'	12'
20'	20'	16'

By Quotation

- Custom designed backstops
- Complete ball field fencing
- Material only or professionally installed




Specifications:

1. FABRIC – 2" x 9-gauge galvanized chain link.
2. TERMINAL POSTS – 2 7/8" O.D. Sch 40 galvanized pipe.
3. LINE POSTS – 2 3/8" O.D. Sch 40 galvanized pipe.
4. OVERHANG, TOP, CENTER, BOTTOM RAILS.
– 1 5/8" O.D. galvanized pipe complete with all fittings and hardware.



Back Stop Over Hang Piping

Over Hangs	Stock	Weight	Part #
2 3/8" O.D. x 4' Overhang	N	16 lbs	238-4 BSO
2 3/8" O.D. x 5' Overhang	N	19 lbs	238-5 BSO
2 3/8" O.D. x 6' Overhang	N	21 lbs	238-6 BSO
2 7/8" O.D. x 4' Overhang	N	24 lbs	278-4 BSO
2 7/8" O.D. x 5' Overhang	N	27 lbs	278-5 BSO
2 7/8" O.D. x 6' Overhang	N	31 lbs	278-6 BSO
3 1/2" O.D. x 4' Overhang	N	30 lbs	312-4 BSO
3 1/2" O.D. x 5' Overhang	N	35 lbs	312-5 BSO
3 1/2" O.D. x 6' Overhang	N	39 lbs	312-6 BSO





Fence Specifications

Height	10' or 12'
Fabric	2" x 9 gauge
Top Rail and Bracing	1 5/8" O.D. galvanized pipe
Center Rail	Optional
Line Posts	2 3/8" O.D. galvanized pipe
Corner and Gate Posts	3 1/2" O.D. galvanized pipe c/w bracing
Gates	1 5/8" O.D. galvanized pipe • Man gates – 4' x 7' single swing • Vehicle gate – 12' double swing

Suggested Minimum Fence Layout:

- Single Court - 60' X 120'
- Double Court - 108' x 120'
- Three Court - 156' x 120'
- Four Court - 204' x 120'

